



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), MAHARASHTRA)

To,

The -1

MAJESTIQUE DUROPOLIS PRIVATE LIMITED

9th floor, S. No. 510/511, Majestique Cityview, Near Seven Loves Chowk,
Gultekdi, Pune, Maharashtra 411037 -411037

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)
in respect of project submitted to the SEIAA vide proposal number
SIA/MH/INFRA2/438121/2023 dated 07 Aug 2023. The particulars of the
environmental clearance granted to the project are as below.

- | | |
|---|--|
| 1. EC Identification No. | EC24B038MH162911 |
| 2. File No. | SIA/MH/INFRA2/438121/2023 |
| 3. Project Type | New |
| 4. Category | B |
| 5. Project/Activity including
Schedule No. | 8(a) Building and Construction projects |
| 6. Name of Project | Proposed (residential & Commercial)
building , by Majestique Duropolis Private
Limited |
| 7. Name of Company/Organization | MAJESTIQUE DUROPOLIS PRIVATE
LIMITED |
| 8. Location of Project | MAHARASHTRA |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page
no 2 onwards.

Date: 07/02/2024

(e-signed)
Pravin C. Darade , I.A.S.
Member Secretary
SEIAA - (MAHARASHTRA)

*Note: A valid environmental clearance shall be one that has EC identification
number & E-Sign generated from PARIVESH. Please quote identification
number in all future correspondence.*

This is a computer generated cover page.

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/438121/2023
Environment & Climate
Change Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To
M/s. Majestique Duropolis Pvt. Ltd.,
Sr no. 148, Hiss No.1+2+3,
Village Kothrud, Taluka Haveli,
District Pune.

Subject : Environmental Clearance for Proposed Redevelopment of (Residential & Commercial) Building Project at Sr no. 148, Hiss No.1+2+3, at Village Kothrud, Taluka Haveli, District Pune by M/s. Majestique Duropolis Pvt. Ltd.

Reference : Application no. SIA/MH/INFRA2/438121/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 182nd meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 272nd (Day-3) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 28th December, 2023.

2. Brief Information of the project submitted by you is as below:-

1	Proposal Number	SIA/MH/INFRA2/438121/2023	
2	Name of Project	Proposed Redevelopment of (Residential & Commercial) Building Project by Majestique Duropolis Pvt. Ltd.	
3	Project Category	8(a), B2 Category	
4	Type of Institution	Private	
5	Name of Project Proponent	Name	Mr. Kailash Ghanshyam Mundada Director
		Address	9 th Floor, S.No.510/511, Majestique City view, Near Seven Loves Chowk, Gultekdi, Pune, Maharashtra,411037
		Mobile	7720011970
		Email ID	majestiqueduropolis@gmail.com
6	Consultant	Name	Mahabal Enviro Engineers Pvt. Ltd.
		QCI Accreditation Status	QCI NABET Accreditation QCI/NABET/ENV/ACO/23/2853
7	Applied for	Environment Clearance (Fresh project)	
8	Details of previous EC	NA	
9	Location of project	Sr no. 148, Hiss No.1+2+3, at Village Kothrud, Taluka Haveli, District Pune	
10	Latitude and Longitude	Latitude: 18°30'28.55"N Longitude: 73°48'25.54"E	

11	Total Plot area (m ²)	12,505.74 m ²																																								
12	Deductions (m ²)	1,341 m ²																																								
13	Net Plot Area (m ²)	11,164.74 m ²																																								
14	Proposed FSI Area (m ²)	81,146.42 m ²																																								
15	Proposed Non-FSI Area (m ²)	47,773.07 m ²																																								
16	Proposed Total BUA area (m ²)	1,28,919.49 m ²																																								
17	TBUA (m ²) approved by Planning Authority till date	We have applied for approval.																																								
18	Total ground coverage (m ²) & %	2,160 m ² i.e., 19.35% of Net plot area																																								
19	Total project cost (Rs.)	Rs.486 crore																																								
20	CER as per MoEF & CC circular dated 01/05/2018	CER implemented as EMP as per MoEF & CC circular dated 30.09.2020																																								
21	Details of Building Configuration: <Please use following legends: Floor = F, Parking = Pk, Podium = Po, Stilt = St, Lower Ground = LG, Upper Ground = UG, Basement = B, Shops = Sh>																																									
	<table border="1"> <thead> <tr> <th>Building</th> <th>Configuration</th> <th>Flats (no.)</th> <th>Height (m)</th> </tr> </thead> <tbody> <tr> <td>Tower 1</td> <td>B4 + B3 + B2+ B1 + Gr. (Comm. + park) 1st to 4th (Resi. + Comm.) + 5th (Recr. + Resi.) + 6th to 27th (Resi.) floor</td> <td>122</td> <td>85.65</td> </tr> <tr> <td>Tower 2</td> <td>B4 + B3 + B2+ B1 + Gr. (Comm. + park) 1st to 4th (Resi. + Comm.) + 5th (Recr. + Resi.) + 6th to 27th (Resi.) floor</td> <td>98</td> <td>85.65</td> </tr> <tr> <td>Tower 3</td> <td>B4 + B3 + B2+ B1 + Gr. (Comm. + park) 1st to 4th (Resi. + Comm.) + 5th (Recr. + Resi.) + 6th to 27th (Resi.) floor</td> <td>98</td> <td>85.65</td> </tr> <tr> <td>Tower 4</td> <td>B4 + B3 + B2+ B1 + Gr. (Comm. + park) 1st to 4th (Resi. + Comm.) + 5th (Recr. + Resi.) + 6th to 27th (Resi.) floor</td> <td>98</td> <td>85.65</td> </tr> <tr> <td>Tower 5</td> <td>B4 + B3 + B2+ B1 + Gr. (Comm. + park) 1st to 4th (Resi. + Comm.) + 5th (Recr. + Resi.) + 6th to 27th (Resi.) floor</td> <td>122</td> <td>85.65</td> </tr> <tr> <td>Tower 6</td> <td>B4 + B3 + B2+ B1 + LG. + UG + 1st to 6th (Comm.) floor</td> <td>-</td> <td>24.00</td> </tr> <tr> <td>Commercial wing</td> <td>B4 + B3 + B2+ B1 + Gr. to 4th (Comm.) floor</td> <td>-</td> <td>17.80</td> </tr> <tr> <td>Club House</td> <td>Single floor at recreational level</td> <td></td> <td>5</td> </tr> <tr> <td>Total</td> <td></td> <td>538</td> <td></td> </tr> </tbody> </table>	Building	Configuration	Flats (no.)	Height (m)	Tower 1	B4 + B3 + B2+ B1 + Gr. (Comm. + park) 1 st to 4 th (Resi. + Comm.) + 5 th (Recr. + Resi.) + 6 th to 27 th (Resi.) floor	122	85.65	Tower 2	B4 + B3 + B2+ B1 + Gr. (Comm. + park) 1 st to 4 th (Resi. + Comm.) + 5 th (Recr. + Resi.) + 6 th to 27 th (Resi.) floor	98	85.65	Tower 3	B4 + B3 + B2+ B1 + Gr. (Comm. + park) 1 st to 4 th (Resi. + Comm.) + 5 th (Recr. + Resi.) + 6 th to 27 th (Resi.) floor	98	85.65	Tower 4	B4 + B3 + B2+ B1 + Gr. (Comm. + park) 1 st to 4 th (Resi. + Comm.) + 5 th (Recr. + Resi.) + 6 th to 27 th (Resi.) floor	98	85.65	Tower 5	B4 + B3 + B2+ B1 + Gr. (Comm. + park) 1 st to 4 th (Resi. + Comm.) + 5 th (Recr. + Resi.) + 6 th to 27 th (Resi.) floor	122	85.65	Tower 6	B4 + B3 + B2+ B1 + LG. + UG + 1 st to 6 th (Comm.) floor	-	24.00	Commercial wing	B4 + B3 + B2+ B1 + Gr. to 4 th (Comm.) floor	-	17.80	Club House	Single floor at recreational level		5	Total		538		
Building	Configuration	Flats (no.)	Height (m)																																							
Tower 1	B4 + B3 + B2+ B1 + Gr. (Comm. + park) 1 st to 4 th (Resi. + Comm.) + 5 th (Recr. + Resi.) + 6 th to 27 th (Resi.) floor	122	85.65																																							
Tower 2	B4 + B3 + B2+ B1 + Gr. (Comm. + park) 1 st to 4 th (Resi. + Comm.) + 5 th (Recr. + Resi.) + 6 th to 27 th (Resi.) floor	98	85.65																																							
Tower 3	B4 + B3 + B2+ B1 + Gr. (Comm. + park) 1 st to 4 th (Resi. + Comm.) + 5 th (Recr. + Resi.) + 6 th to 27 th (Resi.) floor	98	85.65																																							
Tower 4	B4 + B3 + B2+ B1 + Gr. (Comm. + park) 1 st to 4 th (Resi. + Comm.) + 5 th (Recr. + Resi.) + 6 th to 27 th (Resi.) floor	98	85.65																																							
Tower 5	B4 + B3 + B2+ B1 + Gr. (Comm. + park) 1 st to 4 th (Resi. + Comm.) + 5 th (Recr. + Resi.) + 6 th to 27 th (Resi.) floor	122	85.65																																							
Tower 6	B4 + B3 + B2+ B1 + LG. + UG + 1 st to 6 th (Comm.) floor	-	24.00																																							
Commercial wing	B4 + B3 + B2+ B1 + Gr. to 4 th (Comm.) floor	-	17.80																																							
Club House	Single floor at recreational level		5																																							
Total		538																																								
22	Total number of tenements and Population	No. of Tenements: 538 Nos. No. of shop: 236 Nos.																																								
23	Total Water Requirement																																									
		Dry Season	Wet Season																																							
	Freshwater	317 m ³ /day	317 m ³ /day																																							
	Recycled water (Flushing)	181 m ³ /day	181 m ³ /day																																							
	Recycled water (Gardening)	7 m ³ /day	4 m ³ /day																																							
	Swimming pool	1.5 m ³ /day	1.5 m ³ /day																																							

	Total water requirement	505 m ³ /day	502 m ³ /day																								
	Wastewater generation	448 m ³ /day	448 m ³ /day																								
24	Firefighting (Underground water tank)	625 m ³	625 m ³																								
	Firefighting (Overhead water tank)	20 m ³	20 m ³																								
25	Source of water	Pune Municipal Corporation (PMC)																									
26	Rain Water Harvesting (RWH)																										
	i) Level of the ground water table	Pre monsoon: 3 to 4m BGL Post monsoon: 9 to 10 m BGL																									
	ii) Size and no of RWH tank(s) and Quantity	NA																									
	iii) Quantity and size of recharge pits	6 nos. (2 surface + 4 Rooftop rain water) of recharge pit Size of recharge pit: 2m X 2m X 2m																									
	iv) Details of UGT tanks if any:	Domestic UG tank capacity: 549 m ³ Flushing UG tank capacity: 272 m ³ Fire UG tank capacity: 625 m ³																									
27	Sewage and waste water Demand	<table border="1"> <tr> <td>i) Sewage generation in KLD</td> <td>448 m³/day</td> </tr> <tr> <td>ii) STP technology</td> <td>MBR</td> </tr> <tr> <td>iii) No. and Capacity of STP</td> <td>1 no. x 450 m³/day</td> </tr> </table>		i) Sewage generation in KLD	448 m ³ /day	ii) STP technology	MBR	iii) No. and Capacity of STP	1 no. x 450 m ³ /day																		
i) Sewage generation in KLD	448 m ³ /day																										
ii) STP technology	MBR																										
iii) No. and Capacity of STP	1 no. x 450 m ³ /day																										
28	Solid Waste Management during Construction phase:	<table border="1"> <thead> <tr> <th>Type</th> <th>Quantity</th> <th>Treatment/ disposal</th> </tr> </thead> <tbody> <tr> <td>i) Dry waste</td> <td>6 kg/day</td> <td>-</td> </tr> <tr> <td>ii) Wet waste</td> <td>4 kg/day</td> <td>-</td> </tr> <tr> <td>iii) Construction Waste generation</td> <td>Excavation quantity: 1,00,630 m³</td> <td>Top soil used for landscaping, levelling purpose and excavation debris used for backfilling purpose.</td> </tr> <tr> <td></td> <td>Demolition Quantity: 5800 Brass</td> <td>Demolition quantity disposed of at PP Warje site.</td> </tr> </tbody> </table>		Type	Quantity	Treatment/ disposal	i) Dry waste	6 kg/day	-	ii) Wet waste	4 kg/day	-	iii) Construction Waste generation	Excavation quantity: 1,00,630 m ³	Top soil used for landscaping, levelling purpose and excavation debris used for backfilling purpose.		Demolition Quantity: 5800 Brass	Demolition quantity disposed of at PP Warje site.									
Type	Quantity	Treatment/ disposal																									
i) Dry waste	6 kg/day	-																									
ii) Wet waste	4 kg/day	-																									
iii) Construction Waste generation	Excavation quantity: 1,00,630 m ³	Top soil used for landscaping, levelling purpose and excavation debris used for backfilling purpose.																									
	Demolition Quantity: 5800 Brass	Demolition quantity disposed of at PP Warje site.																									
29	Solid Waste Management during operation Phase:																										
	<table border="1"> <thead> <tr> <th>Type</th> <th>Qty.(kg/day)</th> <th>Treatment/ disposal</th> </tr> </thead> <tbody> <tr> <td>Total waste generation</td> <td>1,946 kg/day</td> <td></td> </tr> <tr> <td>Wet waste</td> <td>1,047 kg/day</td> <td>Through Organic Waste Converter. Generated manure will be used for gardening.</td> </tr> <tr> <td>Dry waste</td> <td>893 kg/day</td> <td>Handed over to the authorized recycling agency</td> </tr> <tr> <td>Hazardous waste</td> <td>NA</td> <td>NA</td> </tr> <tr> <td>Biomedical waste</td> <td>NA</td> <td>NA</td> </tr> <tr> <td>STP sludge (dry)</td> <td>44.8 kg/day</td> <td>will be used as manure</td> </tr> <tr> <td>E-waste</td> <td>6 kg/day</td> <td>Handed over to authorized recyclers.</td> </tr> </tbody> </table>			Type	Qty.(kg/day)	Treatment/ disposal	Total waste generation	1,946 kg/day		Wet waste	1,047 kg/day	Through Organic Waste Converter. Generated manure will be used for gardening.	Dry waste	893 kg/day	Handed over to the authorized recycling agency	Hazardous waste	NA	NA	Biomedical waste	NA	NA	STP sludge (dry)	44.8 kg/day	will be used as manure	E-waste	6 kg/day	Handed over to authorized recyclers.
Type	Qty.(kg/day)	Treatment/ disposal																									
Total waste generation	1,946 kg/day																										
Wet waste	1,047 kg/day	Through Organic Waste Converter. Generated manure will be used for gardening.																									
Dry waste	893 kg/day	Handed over to the authorized recycling agency																									
Hazardous waste	NA	NA																									
Biomedical waste	NA	NA																									
STP sludge (dry)	44.8 kg/day	will be used as manure																									
E-waste	6 kg/day	Handed over to authorized recyclers.																									
30	Green Belt																										

	Development	Total RG area	1,156 m ²	
		Total no. of Existing trees	96 nos.	
		Existing trees to be transplanted	0 nos.	
		No. of trees to be cut	79 nos.	
		Total no. of trees to be retained	17 nos.	
		Compensatory trees required	1,058 nos.	
		Total newly trees to be planted	140 nos.	
		Total no. of proposed trees (Including Proposed + Compensatory + Retained)	1,215 nos.	
31	Power requirement	Source of power supply	MSEDCL	
		During Construction Phase: (Demand Load)	100 kW	
		During Operation phase (Connected Load)	6458 kW	
		During Operation phase (Demand Load)	3402 kW	
		Transformer	6 no. x 630 kVA	
		DG set	1 no. x 625 kVA, 1 no. x 75 kVA	
		Fuel Used	Diesel	
32	Details of Energy saving	Overall energy saving: 20.12% Renewable energy saving: 9.39%		
33	Environmental Management plan budget during Construction phase			
	Parameter	Description & Criteria	Estimation	Cost (Lakh)
	Environment	During the construction phase, water will be required for sprinkling for suppression of dust and for construction purpose.	Water tanker/ day during construction phase 1 Water tanker/ day for 10 months	1
	Socio-Economic Environment	Site sanitation, Toilets, safe drinking water	10 No. of Toilets for Ladies & Gents workers	2
		Disinfection at site	Cleaning and maintaining the site	2
		Health check-up for workers, first aid kit	Periodic health checkup	1
	Environment management	Ambient air, drinking water, noise and soil testing on regular basis.	Monitoring of Air, Noise, Soil and water and wastewater through MoEF Approved lab	3
		LED lamps for labour hutments	1 lamp per hutment per year	1
		Gardening set up	Maintain landscape during construction phase	1
	Training & Awareness	Safety personal protective equipment & Training programs	PPE and Safety equipment distribution Safety workshop, audit	1
	Total			12

34	Environmental Management plan budget during Operation phase				
	Sr.	Component	Details	Capital (Lakh)	O&M (Rs. In Lacs/yr)
	1.	Sewage Treatment Plant	1 no. of STP having capacity 450 m ³ /day	75	22.72
	2.	Rain Water Harvesting	6 nos. of recharge pits	4.5	3
	3.	Solid Waste Management	Cost for Treatment of Biodegradable Garbage in OWC	44.25	13.72
	4.	Environmental Monitoring	Monitoring and analysis of Air, Water, Noise, Soil, surface water, STP treated water etc.	MoEF Approved Lab	2
	5.	Landscape development	Develop landscape area is 1,156 m ²	58.9	3.7
	6.	Energy Conservation	Solar	136	4.10
	7.	Fire Fighting system		75	2
	8.	Stormwater management	Laying of storm & Sewer line up to final disposal point	9	0.5
	9.	Basement air cleaning system & ventilation		80	10
	10.	Low flow devices, Basement dewatering		6	0.50
11.	Disaster Management	-	576	19	
	Total		1,064.65	81.74	
35	Traffic Management:				
	Type	Reqd. as per DCR	Actual Provided	Area per parking (m²)	
	4 -wheeler	434 nos.	694 nos.	30 m ² for ground 35 m ² for basement	
	2 -wheeler	1,022 nos.	1,022 nos.	4.2 m ²	
	Parking area	19,282 m ²	28,392 m ²		
36	Details of Court cases / litigations w.r.t. the project and project location if any.			No court case	

3. The proposal has been considered by SEIAA in its 272nd (Day-3) meeting held on 28th December, 2023 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to submit the copy of IoD.

2. PP to submit the drainage NoC.
3. PP to submit details of mitigation measure in case of emergency, at locations, wherever fire tender is unable to reach, especially, near Commercial building.
4. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
5. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions-

1. PP has provided mandatory RG area of 1128.73 m² on mother earth without any construction. Local planning authority to ensure the compliance of the same.
2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
5. SEIAA after deliberation decided to grant EC for-FSI- 79,143.48 m², Non FSI- 47,773.07 m², total BUA- 1,26,916.55 m². (Plan approval No- Zone-6/5846 dated 01.12.2023) (FSI restricted as per approval)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.

- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and

Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.

- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
 - II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
 - III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
 - IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
 - V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
 - VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
 - VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and

Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Pravin Darade
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune.
6. Commissioner, Pune Municipal Corporation
7. Regional Officer, Maharashtra Pollution Control Board, Pune.