

Single-Window Hub

and Virtuous Environmental



Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), MAHARASHTRA)

To,

The -1

MAJESTIQUE GIGA HOMES LLP

Majestique city view, 9th floor, opp Apsara Talkies, Near 7 loves chowk, Gultekdi, Pune -411037

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity

under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/417631/2023 dated 11 Feb 2023. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No.

2. File No.

3. **Project Type**

4. Category

5. Project/Activity including Schedule No.

6. Name of Project

Name of Company/Organization 7. 8. **Location of Project**

9. **TOR Date** EC23B038MH110092

SIA/MH/INFRA2/417631/2023

Expansion

В

8(a) Building and Construction projects

Proposed expansion in Environmental clearance of residential and commercial project by Majestique Gigahomes LLP.

MAJESTIQUE GIGA HOMES LLP

MAHARASHTRA

N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed) Pravin C. Daradé, I.A.S. Date: 21/07/2023 **Member Secretary** SEIAA - (MAHARASHTRA)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/417631/2023 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

To M/s Majestique Gigahomes LLP, S.No. 17, Hissa No. 10+11A, Village Kondhwa Khurd, Taluka Haveli, District Pune.

Subject

: Environmental Clearance for residential and commercial project at S.No. 17, Hissa No. 10+11A, Village Kondhwa Khurd, Taluka Haveli, District Pune by M/s Majestique Gigahomes LLP

Reference: Application no. SIA/MH/INFRA2/417631/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 170th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 261st (Day-3) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 14.06.2023.

2. Brief Information of the project submitted by you is as below:-

	1	Proposal Number	SIA/MH/INFRA2/417631/2023					
	2	Name of Project	Proposed expansion in Environmental clearance of residential and commercial project at S.No. 17, Hissa No. 10+11A, Village Kondhwa Khurd, Taluka Haveli, District Pune by M/s Majestique Gigahomes LLP.					
L	3	Project Category	8(a), B2					
	4	Type of Institution	Private					
	5	Name of Project Proponent						
			Name	Majestique Gigahomes LLP. Authorized person: Amit Lalwani				
			Regd.	Majestique City view, 9th floor,	7			
			Office	Opp. Apsara Talkies, Near 7 Loves chowk,				
			address	Gultekdi, Pune-411037				
			Contact number	7720011970				
		Email II		majestiquegigahomesllp@gmail.com				
	6	Consultant						
			Name Mahabal Enviro Engineers Pvt. Ltd.					
			Address F-7, Road No. 21, Wagle Estate, Thane					
		•		(West)-400604				
			Telepho	022-25823154				
			ne					
			Email ID	mahabal.thane@gmail.com				

Status Expansion in Environment Clearance letter						
We have received Environment Clearance from SEIAA						
3.2020.						
d, Taluka						
Haveli, District Pune Latitude From 18°28'48.69"N to 18°32'53 N						
n vide no						
ii vide iio						
/ 						
Rs.155 Crores Not applicable						
Jesti i i						
St, Lower						
1.00						
or						
or tion						
tion						
change as						
tion						
tion change as						
change as PR						
change as PR						
change as PR						
change as PR						
change as PR						
change as PR						
change as PR						
change as PR						
change as PR						
change as PR of						

planning change

Building B1+B2+P+11 34.35 Building-A (wing A5) B1+B2+P+13 40.55 Addition of 2 floor & planning change		B1+B2+P+11	34.35	Building-A	B1+B2+F	P+13 4	0.55	Addition of	
Building	1	1 0 1		1 5 1		1	10.55		
Building B1+B2+P+11 A6	11001			(**************************************	 				
Building									
A6	Building	Building B1+B2+P+11		34.35 Building-A		<u>+13 4</u>	0.55		
Building B1+B2+P+11 34.35 Building-A (wing A7) B1+B2+P+13 40.55 Addition of 2 floor & Planning Change			51.55	1 0 1			10.55		
Building B1+B2+P+11 34.35 Building-A (wing A7) floor				(wing rio)	 				
Building									
A7	Building	R1+R2+P+11	34 35	Ruilding-A	B1+B2+F)+13 \ \d	LO 55		
Building B1+B2+P+11 34.35 Building-A (wing A8) floor (wing A8) floor (2 floor Club G+1 floor 9.15 Club House G+1 floor 9.15 No change House Building HP+10 floor (wing B1) 10 floor Sanction Sanction Sanction HP+10 floor Sanction HP+10 floor Sanction Sanction HP+10 floor Sanction	1	- 1			1				
Building B1+B2+P+11 34,35 Building-A B1+B2+P+13 40,55 Addition of 2 floor		11001		(Willig A7)		.1001			
Building			Take in			Artig:			
A8	Ruilding	R1+R2+P+11	34.35	Building A	B1+B2+E)+13 /	0.55		
Club House G+1 floor 9.15 Club House G+1 floor 9.15 No change	_	187 A. S. S. S.	34.33		SERVICE CO. CO.	1 1 24 L	10.55		
House Building B(MECH.) 34.35 Building-B Reverse Building B(MECH.) 28.65 Building-B City Sanction			0.15		- 0 manning	- 0 manning 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		<u> </u>	
Building B(MECH.)	1	0-1 1100r	9.13	Club House	UT11	1001	9.13	no change	
Building B(MECH.) + 28.65 Building-B (wing B1) 10 floor Sanction	L	DOMECITY	24.25	D.::14! D	DATECTO	101 2	2 05	NI1-4	
Building B(MECH.) + 28.65 Building-B (wing B2)			34.33				3.03	ACC 4.1	
Building B(MECH.) + 28.65 Building-B (wing B2) .G.+U.G.+ 2 basement & & & & & & & & & & & & & & & & & &	BI	+P+10 1100r		(wing B1)	10	1001		No. La	
Building B(MECH.) + +L.G.+U.G.+ M+4FLR+T/ KIT									
B2	D '11'	DOMEOUT	00.65		D1 - D2 - D	2.1	2.60		
M+4FLR+T/ KIT			28.65		and the second second	Taraffa services 1 even	3.60		
SIT	B2	And the second of the second o		(wing B2)	The second secon	3 (4.5.4.)			
Total number No. of Tenements: 364 Nos. No. of offices: 10 Nos. No. of anchor shops: 1 No. including Mezz. No. of restaurant: 1 No. No. of gymnasium: 1 No. Kitchen at terrace floor: 1 No.	•	- 3.1 - 4. 4. 4. 4. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.							
Total number oftenements of Tenements: 364 Nos. No. of Offices: 10 Nos. No. of offices: 10 Nos. No. of restaurant: 1 No. No. of gymnasium: 1 No. Kitchen at terrace floor: 1 No. Total Water Requirement The state of the state		KIT	off garden		(T/I	(TI)	TN4.	1.01	
Total number oftenements oftenements oftenements oftenements No. of Tenements: 364 Nos. No. of offices: 10 Nos. No. of anchor shops: 1 No. including Mezz. No. of restaurant: 1 No. No. of gymnasium: 1 No. Kitchen at terrace floor: 1 No. Total Water Requirement Dry Season Wet Season									
oftenements No. of offices: 10 Nos. No. of anchor shops: 1 No. including Mezz. No. of restaurant: 1 No. No. of gymnasium: 1 No. Kitchen at terrace floor: 1 No. 23 Total Water Requirement Dry Season Wet Season	L		TII					sanction	
No. of anchor shops: 1 No. including Mezz. No. of restaurant: 1 No. No. of gymnasium: 1 No. Kitchen at terrace floor: 1 No. 23 Total Water Requirement Dry Season Wet Season	22 Tota		1						
No. of restaurant: 1 No. No. of gymnasium: 1 No. Kitchen at terrace floor: 1 No. 23 Total Water Requirement Dry Season Wet Season		oftenements		. 그 그 그는 그 이 어떻게 하는 것이 되는 것이 되었다. 그는 그는 사람이 그렇게 되었다. 그 바다 그는 그 없어 하는 것이 되었다. 그 그 없었다.					
No. of gymnasium: 1 No. Kitchen at terrace floor: 1 No. 23 Total Water Requirement Dry Season Wet Season						ling Mezz.			
Kitchen at terrace floor: 1 No. 23 Total Water Requirement Dry Season Wet Season				No. of gymnasium: 1 No.					
Total Water Requirement Dry Season Wet Season	I								
Fresh water (in m³/day) Recycled water (Flushing) Recycled water (Gardening) Swimming pool 2 m³/day Total water (Generation Wet Season 215 m³/day 107 m³/day 112 m³/day 12 m³/day 2 m³/day 2 m³/day 347 m³/day 347 m³/day Requirement Waste water 306 m³/day Generation 24 Firefighting (Underground water tank) Firefighting (Overhead water tank) Firefighting (Overhead water tank) Pune Municipal Corporation (PMC)	44 1.5								
Fresh water (in m³/day) Recycled water (Flushing) Recycled water (Gardening) Swimming pool Total water Requirement Waste water Generation 24 Firefighting (Underground water tank) Firefighting (Overhead water tank) Source of water (In m³/day) 107 m³/day 12 m³/day 12 m³/day 2 m³/day 347 m³/day 347 m³/day 306 m³/day 306 m³/day 500 m³ 250 m³ 250 m³	# 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Kitch						
m³/day) Recycled water (Flushing) Recycled water (Gardening) Swimming pool 2 m³/day 2 m³/day Total water Requirement Waste water Generation 24 Firefighting (Underground water tank) Firefighting (Overhead water tank) Source of water Pune Municipal Corporation (PMC)	23 Tota	al Water Requireme	Kitch nt	en at terrace flo					
Recycled water (Flushing) Recycled water (Gardening) Swimming pool 2 m³/day 2 m³/day Total water Requirement Waste water Generation 24 Firefighting (Underground water tank) Firefighting (Overhead water tank) Source of water Pune Municipal Corporation (PMC)	- 1		Kitch nt Dry S	en at terrace flo Season		Wet Se	ason		
(Flushing) Recycled water (Gardening) Swimming pool 2 m³/day 2 m³/day Total water Requirement Waste water Generation 24 Firefighting (Underground water tank) Firefighting (Overhead water tank) Pune Municipal Corporation (PMC)	Fres	sh water (in	Kitch nt Dry S	en at terrace flo Season		Wet Se 215 m ³ .	eason /day		
Recycled (Gardening) Swimming pool Total water Requirement Waste water Generation 24 Firefighting (Underground water tank) Firefighting (Overhead water tank) Pune Municipal Corporation (PMC) 12 m³/day 2 m³/day 347 m³/day 347 m³/day 306 m³/day 306 m³/day 500 m³ 500 m³ 250 m³	Fres m ³ /o	sh water (in day)	Kitch nt Dry S	en at terrace flo Season 1 ³ /day		215 m ³	/day		
Gardening Swimming pool 2 m³/day 2 m³/day 347 m³/day 347 m³/day 347 m³/day 306 m	Fres m³/o Rec	sh water (in day) ycled water	Kitch nt Dry S	en at terrace flo Season 1 ³ /day		215 m ³	/day		
Swimming pool 2 m³/day 2 m³/day Total water Requirement 347 m³/day 347 m³/day Waste water Generation 500 m³ 500 m³ (Underground water tank) Firefighting (Overhead water tank) Source of water Pune Municipal Corporation (PMC)	Fres m³/6 Rec (Flu	sh water (in day) ycled water shing)	Kitch nt Dry S 215 n	en at terrace flo Season n ³ /day		215 m ³	/day /day		
Total water Requirement Waste water Generation 24 Firefighting (Underground water tank) Firefighting (Overhead water tank) Source of water Pune Municipal Corporation (PMC) 347 m³/day 347 m³/day 306 m³/day 500 m³ 500 m³ 250 m³	Fres m³/6 Rec (Flu Rec	sh water (in day) ycled water ishing) ycled water	Kitch nt Dry S 215 n	en at terrace flo Season n ³ /day		215 m ³	/day /day		
Requirement Waste water Generation 24 Firefighting (Underground water tank) Firefighting (Overhead water tank) Source of water Pune Municipal Corporation (PMC)	Fres m³/c Rec (Flu Rec (Ga	sh water (in day) ycled water ishing) ycled water rdening)	Kitch nt Dry S 215 m 107 m 23 m ³	en at terrace flo Season n³/day n³/day		215 m ³ .	/day /day lay		
Waste water Generation 306 m³/day 306 m³/day 24 Firefighting (Underground water tank) 500 m³ 500 m³ Firefighting (Overhead water tank) 250 m³ 250 m³ Source of water Pune Municipal Corporation (PMC)	Fres m³/c Rec (Flu Rec (Ga Swi	sh water (in day) yeled water shing) yeled water rdening) mming pool	Kitch nt Dry S 215 m 107 m 23 m ³ 2 m ³ / 2 m ³ / 3	en at terrace flo Season n³/day n³/day day day		215 m ³ . 107 m ³ . 12 m ³ /d 2 m ³ /da	/day /day lay		
Generation 24 Firefighting 500 m³ 500 m³ (Underground water tank) Firefighting (Overhead water tank) 25 Source of water Pune Municipal Corporation (PMC)	Fres m³/6 Rec (Flu Rec (Ga Swi	sh water (in day) yeled water (shing) yeled water rdening) mming pool	Kitch nt Dry S 215 m 107 m 23 m ³ 2 m ³ / 2 m ³ / 3	en at terrace flo Season n³/day n³/day day day		215 m ³ . 107 m ³ . 12 m ³ /d 2 m ³ /da	/day /day lay		
24 Firefighting (Underground water tank) Firefighting (Overhead water tank) 25 Source of water 500 m³ 250 m³ 250 m³ 250 m³	Fres m³/c Rec (Flu Rec (Ga Swi Tota Req	sh water (in day) ycled water shing) ycled water rdening) mming pool al water uirement	Kitch nt Dry S 215 m 107 m 23 m ³ 347 m	en at terrace flo Season n³/day r³/day day day n³/day		215 m ³ . 107 m ³ . 12 m ³ /d 2 m ³ /da 347 m ³ .	/day /day lay ny /day		
(Underground water tank) Firefighting (Overhead water tank) 25 Source of water Pune Municipal Corporation (PMC)	Fres m³/c Rec (Flu Rec (Gai Swi Tota Req Was	sh water (in day) ycled water shing) ycled water rdening) mming pool al water uirement	Kitch nt Dry S 215 m 107 m 23 m ³ 347 m	en at terrace flo Season n³/day r³/day day day n³/day		215 m ³ . 107 m ³ . 12 m ³ /d 2 m ³ /da 347 m ³ .	/day /day lay ny /day		
tank) Firefighting (Overhead water tank) 25 Source of water Tank Pune Municipal Corporation (PMC)	Fres m³/6 Rec (Flu Rec (Ga Swi Tota Req Was Gen	sh water (in day) ycled water (shing) ycled water rdening) mming pool al water uirement ste water water rester water	Kitch N Color Color	en at terrace flo Season n³/day day day n³/day day n³/day		215 m ³ . 107 m ³ . 12 m ³ /da 2 m ³ /da 347 m ³ . 306 m ³ .	/day /day lay ny /day		
Firefighting (Overhead water tank) 250 m³ 250 m³ 250 m³ 250 m³	Fres m³/c Rec (Flu Rec (Gar Swi Tota Req Was Gen 24 Fire	sh water (in day) ycled water shing) ycled water rdening) mming pool al water uirement ste water leration fighting	Kitch N Color Color	en at terrace flo Season n³/day day day n³/day day n³/day		215 m ³ . 107 m ³ . 12 m ³ /da 2 m ³ /da 347 m ³ . 306 m ³ .	/day /day lay ny /day		
water tank) 25 Source of water Pune Municipal Corporation (PMC)	Fres m³/c Rec (Flu Rec (Gal Swi Tota Req Was Gen 24 Fire (Un	sh water (in day) ycled water (shing) ycled water rdening) mming pool al water uirement ste water reration fighting derground water	Kitch N Color Color	en at terrace flo Season n³/day day day n³/day day n³/day		215 m ³ . 107 m ³ . 12 m ³ /da 2 m ³ /da 347 m ³ . 306 m ³ .	/day /day lay ny /day		
25 Source of water Pune Municipal Corporation (PMC)	Fres m³/c Rec (Flu Rec (Gar Swi Tota Req Was Gen 24 Fire (Un tank	sh water (in day) ycled water shing) ycled water rdening) mming pool al water uirement ste water eration fighting derground water	Kitch nt	en at terrace flo Season n³/day n³/day day n³/day n³/day n³/day		215 m ³ . 107 m ³ . 12 m ³ /da 347 m ³ . 306 m ³ .	/day /day lay /y /day		
	Fres m³/6 Rec (Flu Rec (Gar Swi Tota Req Was Gen 24 Fire (Un tank	sh water (in day) ycled water shing) ycled water rdening) mming pool al water uirement ste water leration fighting derground water	Kitch nt	en at terrace flo Season n³/day n³/day day n³/day n³/day n³/day		215 m ³ . 107 m ³ . 12 m ³ /da 347 m ³ . 306 m ³ .	/day /day lay /y /day		
26 Rain Water Harvesting (RWH)	Fres m³/6 Rec (Flu Rec (Ga Swi Tota Req Was Gen (Un tank Fire	sh water (in day) ycled water (shing) ycled water rdening) mming pool al water uirement ste water reration fighting derground water (s) fighting (Overhead	Kitch nt	en at terrace flo Season n³/day n³/day day n³/day n³/day n³/day		215 m ³ . 107 m ³ . 12 m ³ /da 347 m ³ . 306 m ³ .	/day /day lay /y /day		
	Fres m³/c Rec (Flu Rec (Gar Swi Tota Req Was Gen 24 Fire (Un tank Fire wate	sh water (in day) ycled water shing) ycled water rdening) mming pool al water uirement ste water reration fighting derground water to fighting (Overhead er tank)	Kitch nt Dry S 215 m 107 m 23 m ³ 347 m 306 m 500 m 250 m	en at terrace flo Season n³/day day day n³/day a³/day n³/day	or: 1 No.	215 m ³ . 107 m ³ . 12 m ³ /d 2 m ³ /da 347 m ³ . 306 m ³ . 500 m ³	/day /day lay /y /day		

		D 5.0	DOL				
	i) Level of the ground	Pre monsoon: 7-8 m Post monsoon: 3-4 m			·		
	water table	NA	II BOL				
	ii)Size and no of RWH tank(s) and Quantity						
	iii) Quantity and size	8 nos. (2 surface + 6 terraces rain water) of recharge pit					
	of recharge pits	Terraces recharge pit size: 2 m x 1.5 m x 2 m					
		Surface recharge pit size: 2 m x 2 m x 1.9 m					
	iv) Details of	Domestic UG tank capacity: 336 m ³					
	UGTtanks if any:	Flushing UG tank capacity: 107 m ³					
		Fire UG tank capacity: 500 m ³					
27	Sewage and waste	i) Sewage generation	306 m ³ /day				
	water Demand	ii) STP technology MBBR					
		iii) No. and Capacity of STP 1 no. x 325 m³/day					
28	Solid Waste Management during	Type	Quantity		Treatment/ Disposal		
	Construction phase:	i) Dry waste	6 kg/day				
		ii) Wet waste	4 kg/day				
		iii)Construction	Excavation	5825	Top soil will be used for		
		Waste generation	quantity:		landscaping. The		
			46,197.37 m	13	construction debris will		
					be utilized at site for		
			1900er \$100		backfilling		
29	Solid Waste	Type	Quantity	Trea	ntment/disposal		
	Management		(kg/day)	afestire.	特数: 10 製札 (b)		
	durin goperation Phase:	Total waste generation	1240 kg/day				
	B°1			Through Organic Waste			
				1 1 10 10 10	Convertor. Generated manure will be used for gardening.		
		Wet waste	Wet waste 726 kg/day				
				Hane	ded over to theauthorized		
		Dry waste	510 kg/day	l	cling Agency		
Ν.		Hazardous waste	NA	NA			
	Yes Yes	Biomedical waste	NA	NA			
			2 1-2/4	will	be used as		
		STP sludge (dry)	3 kg/day	man	ure		
		E-waste	1.5 kg/day	and the Control of the Control	ded over to		
				authorized recyclers.			
30	Green Belt	Total RG area		1,436.54 m ²			
	Development	Existing trees on p		9 nos.			
		Number of trees to		186 nos.			
		No of trees to be re		9 nos.			
		Number of tre	ees to be	NA			
31	Power requirement	Source of power su	apply	MSI	EDCL		
	^	During Construction		30 k	W		
	·	(Demand Load)					
		During Operation	phase	3,287.17 kW			
		(Connected Load)	<u> </u>				
		During Operation phase (Demand Load) Transformer			1,338.42 kW		
					3 no. x 630 kVA		

	Ī		,	· 					
				DG set	1 no. x 250 kVA, 1 no. x 82.5 kVA				
				Fuel Used	HSD				
32	Detai	ls of Ene	rov	Overall energy saving: 2					
	Savin		16)	Renewable energy saving.					
33	Envir	nase							
	Attr	ibutes	Par	Parameter Cost (Rs. In Lacs)					
		Environment		osion control – dust suppr	ession	14			
	ı			measures, barricading and top soil					
		_		Preservation					
	Lanc			Labour Camp toilets & sanitation 4.8					
	Heal	th and Safety		oour Safety Equipments a iining	nd				
	Facil	lity		sinfection and Health Che	ck-ups	4			
		ronment		vironmental Monitoring c		1.7			
	Man	agement							
		ronment	En	vironmental Monitoring		1.8			
	Tota					27.3			
34	Envir	onmental Man	agen	nent plan budget during C	peration phas	e			
					Capital	Operational and			
	Sr.	r. Component		Details	cost Rs. In	maintenance cost(Rs. In			
					Lacs	Lacs/yr)			
		Sewage	periodical control of the control of	1 no. of STP having		[128명 : 4명 : 12] [12] [12] [12] [13] [13] [13] [13]			
	1.	1. Treatment Plan		capacity 325 m ³ /day	82.83	14.71			
	2. Rain Water Harvesting		8 nos. of recharge pits	8	0.8				
		Solid Waste		Cost for Treatment of					
	3.			biodegradable garbage	32	0.96			
		Management		in OWC (1 no.)					
15		4. Environmental Monitoring		Monitoring and					
			ลไ	analysis of Air, Water,	MoEF	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
	4.			Noise, Soil, surface	Approved	■ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
	1. 1.			water, STP treated water etc.	Lab				
				186 nos. of trees to be	i entsulleur digente de La companya le tr				
		Landscape		planted. Developed	De Millelik († 1920) 1935 - Primar State († 1920)				
	5.	development		landscape area is	35	5.5			
		development		1,436.54 m ²	To the second se				
	(Energy			49	1 47			
	6.	Conservation		Solar PV Cells	49	1.47			
	7.	Firefighting			85.69	8.59			
		System		Laving of storms &					
	8.	Storm water		Laying of storm & Sewer line up to final	43.26	4.3			
	O.	management		disposal point	75.20	4.3			
		Basement air		, , , , , , , , , , , , , , , , , , , ,					
	9.	cleaning system	em		2.2	0.2			
		& ventilation							

					•	
	10.	Low flow devices, Basement Dewatering			7.5	0.75
	11.	Disaster Management	-		33.1	6.35
		Total			378.58	45.63
35	Traffic Management:		Туре	Required as per DCR	Actual Provided	Area per parking(m ²)
•			4 -wheeler	311 nos.	456 nos.	30 m ² for groundparking, 35 m ² for Basement parking.
			2 -wheeler	978 nos.		4.2 m ²
			Parking area	9,874.8 m ²	21,454.8 m ²	
36	litigat projec	ions w.r.t. the et and project on if any.	No court ca	se		

3. The proposal has been considered by SEIAA in its 261st (Day-3) meeting held on 14.06.2023 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- 1. PP to increase the energy saving by solar means by 5 %.
- 2. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
 - 3. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions-

- 1. PP has provided mandatory RG area of 1436.54 m2 on ground. Local planning authority to ensure the compliance of the same.
- 2. This EC excludes the Wing A3 as per has not obtained CFO NOC for the same. Further, EC is restricted for Wing A2 up to 34.85 m height as per CFO NOC.
- 3. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 4. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 5. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- 6. SEIAA after deliberation decided to grant EC for FSI-44398.93 m2, Non FSI-

27271.33 m2, Total BUA-71,670.26 m2. (Plan approval No. Outward no. 5/4322, dated 13.12.2022) (Restricted as per approval).

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
 - X. The Energy Conservation Building code shall be strictly adhered to.
 - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and

- night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
 - XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for

- implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade (Member Secretary, SEIAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Pune.
- 6. Commissioner, Pune Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.