

Pro-Active and Responsive Facilitation by Interactive,

Single-Window Hub

and Virtuous Environmental



Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), MAHARASHTRA)

To,

The -1

WHITE MARBLES REALTIES PRIVATE LIMITED

S.no.510/511,9th floor, Cityviw,Near Seven Loves Chowk, Gultekdi, Pune, 411037 - 411037

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity

under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/435351/2023 dated 04 Jul 2023. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No.

2. File No.

3. **Project Type**

4. Category

5. Project/Activity including

Schedule No.

6. Name of Project EC24B038MH134947

SIA/MH/INFRA2/435351/2023

New

В

8(a) Building and Construction projects

Proposed Residential Project at S. No. 87, Warje, Haveli, Pune by White Marbles Realties Private Limited

7. Name of Company/Organization WHITE MARBLES REALTIES PRIVATE

LIMITED

8. **Location of Project** **MAHARASHTRA**

9. **TOR Date** N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 05/01/2024

(e-signed) Pravin C. Darade, I.A.S. **Member Secretary** SEIAA - (MAHARASHTRA)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/435351/2023 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

To M/s.White Marbles Realities Pvt. Ltd., S. No. 87, Village Warje, Taluka Haveli, District Pune.

Subject : Environmental Clearance for Proposed Residential Project with Shop at S. No. 87, Village Warje, Taluka Haveli, District Pune by M/s. White Marbles Realities Pvt. Ltd.

Reference : Application no. SIA/MH/INFRA2/435351/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 179th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 269th (Day-2) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 3rd November, 2023.

2. Brief Information of the project submitted by you is as below:-

1	Proposal Number	SIA/MH/INFRA	\2/435351/ 2023
2	Name of Project		ential Project with Shop at S. No. 87, Village Warje, District Pune by White Marbles Realities Pvt. Ltd.
3	Project Category	8(a), B2	
4	Type of Institution	Private	
5	Name of Project Proponent	Name	Ankit Chhajed Director
		Address	S.no.510/511, 9th floor, Cityview, Near Seven Loves Chowk, Gultekdi, Pune, 411037
		Tel	
		Mobile	7720011970
		Email ID	Majestiquewarje87@gmail.com
6	Consultant	Name	Mahabal Enviro Engineers Pvt. Ltd.
		Address	F-7, Road No. 21, Wagle Estate, Thane (West)-400604
		Telephone	022-25823154
		Email ID	mahabal.thane@gmail.com
		QCI	QCI NABET Accreditation
		Accreditation	QCI/NABET/ENV/ACO/23/2853
		Status	
7	Applied for	Environment Cl	earance (Fresh project)
8	Details of previous EC	NA	
9	Location of project		lage - Warje, Taluka - Haveli, District - Pune,
	·	Maharashtra	

10	Latitude and Long	ritude	Latitude From 18°29'6.20"N to 18	3°29'9 28"	N	
10	Latitude and Long	situae	Longitude From 73°47'6.59"E to			
11	Total Plot area (m	2)	20,700 m ²	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	.,	
12	Deductions (m ²)		$7,207.74 \text{ m}^2$			
13	Net Plot Area (m ²	5	13,492.26 m ²			1
14	Proposed FSI	Area	74,124.72 m ²			
17	(m ²)	Aica	77,127.72 III			
15		n-FSI	53,592.64 m ²			
	Area (m ²)	11 1 51	35,352.0 i m			
16	Proposed Total	BUA	1,27,717.36 m ²			
10	area (m ²)					
17		roved	We have applied for approval.	-		
^	by Planning Aut		Tr			
	till date					
18		erage	12,138.09 m ² i.e., 89.96% of Net	plot area		
	(m²)&\dag{\psi}					:
19	Total project cost	(Rs.)	Rs.268 crore			
20	CER as per Mo		Not applicable			
		dated				
	01/05/2018					
21	Details of Buildin	ig Conf	iguration:			
	<please follo<="" td="" use=""><td>wing l</td><td>egends: Floor = F, Parking = Pk,</td><td>Podium :</td><td>= Po, Stilt</td><td>=St, Lower</td></please>	wing l	egends: Floor = F, Parking = Pk,	Podium :	= Po, Stilt	=St, Lower
			ound = UG, Basement = B, Shops			á <u></u>
	Building	Configu	ıration		Flats (no.	Height (m)
	Wing A		$1 + L GR + U GR/STILT + 1^{st}$ to 12^{th} floor		48	37.05
	Wing B	B2+B	1 + L GR + U GR/STILT + 1st to 12 th floor		47	37.05
	Wing C	B2 + B	$1 + L GR + U GR/STILT + 1^{st}$ to 12^{th} floor		47	37.05
	Wing D		$1 + L GR + U GR/STILT + 1^{st}$ to 12^{th} floor		47	37.05
	Wing E	B2+B	$1 + L GR + U GR/STILT + 1^{st}$ to 12^{th} floor		47	37.05
	Wing F	B2 + B	$1 + L GR + U GR/STILT + 1^{st}$ to 12^{th} floor		48	37.05
	Wing G	B3 + B2	2 + B1 + L GR + U GR/STILT + 1st to 12 th	floor	52	40.05
	Wing H		$2 + B1 + L GR + U GR/STILT + 1^{st}$ to 12^{th}		52	40.05
	Wing I	B3 + B2	2 + B1 + L GR + U GR/STILT + 1 st to 13 th	floor	56	43.05
	Wing J		2 + B1 + L GR + U GR/STILT + 1st to 13 th		54	43.05
	Wing K	B3 + B2	2 + B1 + L GR + U GR/STILT + 1 st to 13 th	floor	54	43.05
	Wing L	B3 + B3	2 + B1 + L GR + U GR/STILT + 1st to 13 th	floor	54	43.05
	Wing M		2 + B1 + L GR + U GR/STILT + 1st to 13 th	floor	54	43.05
	Wing N	B2 + B	$1 + L GR + U GR/STILT + 1^{st}$ to 11^{th} floor		46	37.20
	(Inclusive Hou.)					
	Total				706	
22	Total number of		No. of Tenements: 706 Nos.			
	tenements and	15 2759 W.W.		. 16		
	Population					
23	Total Water Requ	iremen	t			
			Dry Season	Wet Sea		
	Freshwater (in m	³ /day)	327 m ³ /day	$327 \text{m}^3/\text{c}$		•
	Recycled	water	166 m ³ /day	166 m ³ /c	lay	
<u> </u>	(Flushing)		·		· 	
	Recycled	water	12 m³/day	6 m ³ /day	7	
	(Gardening)					
·	Swimming pool		NA	NA		

	Total water	505 m ³ /day		498 m³/day
	requirement	303 m /day		476 III /day
	Wastewater generation	443 m ³ /day		443 m ³ /day
24	Firefighting	700 m ³		700 m ³
	(Underground water			
	tank)			
	Firefighting (Overhead	$280 \mathrm{m}^3$		280 m ³
	water tank)			
25	Source of water	Pune Municipal Cor	poration (PM	(C)
26	Rain Water Harvesting (
	i) Level of the ground			
-	water table ii) Size and no of RWH	Post monsoon: 4 to NA	5 m BGL	
	tank(s) and Quantity	INA		
	iii) Quantity and size of	5 nos (1 surface + 4	terraces rain	water) of recharge pit
	recharge pits	Terraces recharge pi		
		Surface recharge pit	size: 2 m x 2	m x 1.9 m
	iv) Details of UGT	Domestic UG tank of		
	tanks if any;	Flushing UG tank ca		n ³
		Fire UG tank capaci		
27	Sewage and waste	i) Sewage generation		443 m ³ /day
	water Demand	ii) STP technology		MBBR
		iii) No. and Capaci	ty of STP	1 no. $x = 30 \text{ m}^3/\text{day}$,
28	Solid Waste	The second second	6 44	1 no. x 420 m ³ /day
20	Management during	Туре	Quantity	Treatment/
	Construction phase:	i) Dry waste	6 kg/day	disposal
	Construction phase.	ii) Wet waste	4 kg/day	
		iii)Construction	Excavation	Reuse 2,025 m ³ of
		Waste generation	quantity:	excavation debris from
	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1,10,650.10	
				landscape backfilling
		3.00 S.Va.		activity for topsoil
				preservation and the
		Control of the state of the sta		remaining excavation
				debris of 1,08,625 m ³
				will be used on another project site at S.no. 123
				and 124 Dhayari, Pune.
29	Solid Waste		Quantity	Treatment/
	Management during	Type	(kg/day)	disposal
	operation Phase:	Total waste	1,836	
	≪an .	generation	kg/day	
	·			Through Organic
			1,087	Waste Convertor.
		Wet waste	kg/day	Generated manure
				will be used for
				gardening. Handed over to the
		Dry waste	743	authorized recycling
		Dry waste	kg/day	agency
<u> </u>		<u>i</u>	<u></u>	-57

		Hazardous waste	NA	NA	
	-	Biomedical waste	NA	NA	
			41/-	will be use	ed as
		STP sludge (dry)	4 kg/day	manure	
		E-waste	6 kg/day	Handed ove	; 1
		E-waste	0 kg/day	authorized rec	yclers.
30	Green	Belt Total RG area		1,350 m ²	·
	Development	No. of trees require		169 nos	
		Total no. of Existing	#1 1.0.2 61000000000000000000000000000000000000	75 nos.	
	** ***	Existing trees to be		00	
<u> </u>		No. of trees to be o		33 nos	
		Total no. of trees to		42 nos	
		Compensatory tree		291 nos.	
l		Total newly trees t		418 nos.	
		Total no. of propos		418 nos	
		(Including Propose Compensatory)	Su T		
i i		Total no. of trees in	net plot area	460 nos	9.7
		(Including Retaine		lov neo	
		Compensatory)		000	-
31	Power requiremen		upply	MSEDCL	
	77.7 mm () 7 mm ()	During Construction		125 kVA	
	1.00	(Demand Load)			
		During Operation	phase	5,239.7 kW	
		(Connected Load)		1.00	
		During Operation	phase	2,268 kW	
		(Demand Load)			
		Transformer		4 no. x 630 k	
	F 555	DG set		1 no. x 500 kV	
		A SECTION AND A		1 no. x 30 kV	
		T. 167 1		1 no. x 15 kV	
20	D (1 C E	Fuel Used	22 700/	HSD	
52		nergy Overall energy savi Renewable energy		1/2	
33	saving Environmental Me	magement plan budget dur			
	2.31VILOIIIITCIRGI IVI	magoritoni prim ottogot daz	.ws		
	Parameter	Description & Criteria	Estimation		Cost (Rs. In
					Lakh)
		During the construction			
		phase, water will be		r/ day during	
	Air	required for sprinkling	construction		1
	Environment	for suppression of dust	65E0868666686000000000000000000000000000	ker/ day for 10	
		and for construction	months		
		purpose.	1031 67	11 4 C	
		Site sanitation, Toilets,	10 No. of To		2
	Socio-	safe drinking water		ents workers	
	Economic	Disinfection at site	the site	d maintaining	2
	Environment	Health check-up for			
		workers, first aid kit	Periodic hea	alth checkup	1
	Environment	Ambient air, drinking	Monitoring	of Air, Noise,	3
L				J	

management	water, noise and soil testing on regular basis.	Soil and water and wastewater through MoEF	
	LED lamps for labour hutments	Approved lab 1 lamp per hutment per vear	1
	Gardening set up	Maintain landscape during construction phase	1
Training & Awareness	Safety personal protective equipment & Training programs	PPE and Safety equipment distribution Safety workshop, audit	1
Total			12

Environmental Management plan budget during Operation phase

Sr.	Component	Details	Capital (Lakh)	O&M (Lacs/yr)
1.	Sewage Treatment Plant	2 no. of STP having capacity 450 m ³ /day	140.25	1.1
2.	Rain Water Harvesting	5 nos. of recharge pits	7	0.75
3.	Solid Waste Management	Cost for Treatment of biodegradable garbage in OWC	25	3.00
4.	Environmental Monitoring	Monitoring and analysis of Air, Water, Noise, Soil, surface water, STP treated water etc.	MoEF Approved Lab	2
5.	Landscape development	Developed landscape area is 1,350 m ²	23.55	6.87
6.	Energy Conservation	Solar PV Cells	185.7	5.6
7.	Firefighting system		75	2
8.	Storm water management	Laying of storm & Sewer line up to final disposal point	12	0.60
9.	Basement air cleaning system & ventilation		150	15
10.	Low flow devices, Basement dewatering		3	0.30
11.	Disaster Management	-	25	2
	Total		646.5	39.22

Type	Required as per DCR	Actual Provided	Area per parking (m²)	
4 -wheeler 689 nos.		692 nos.	30 m ² for ground parking, 35 m ² for Basement parking.	
2 -wheeler	744 nos.	1,972 nos.	4.2 m ²	
Parking area	10,100.5 m ²	31,782.4m ²		

3. Proposal is a new construction project. Proposal has been considered by SEIAA in its 269th (Day-2) meeting held on 3rd November, 2023 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- 1. PP to submit the Copy of IoD.
- 2. PP to ensure fire tender movement in front of shops.
- 3. PP to submit details of rain water harvesting calculations.
- 4. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
- 5. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions-

- 1. PP has provided mandatory RG area of 1349.23 m2 on mother earth without any construction i.e. Club House etc. Local planning authority to ensure the compliance of the same.
- 2. This EC is restricted up to 39.143 m AGL as per Civil Aviation NOC.
- 3. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 4. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 5. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
- 6. SEIAA after deliberation decided to grant EC for-FSI- 69308.63 m2, Non FSI-53,592.64 m2, total BUA-122901.27 m2. (Plan approval No-Zone-3/4556, dated-07.11.2023) (FSI restricted as per approval)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring

- communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
 - X. The Energy Conservation Building code shall be strictly adhered to.
 - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas)

 Protection and Preservation of Trees Act, 1975 as amended during the validity of
 Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all

- proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises, c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or alletment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
 - XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that

- the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent

has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade (Member Secretary, SEIAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Pune.
- 6. Commissioner, Pune Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.