



सत्यमेव जयते

File No: SIA/MH/INFRA2/556692/2025
Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), MAHARASHTRA)



Dated: 12/02/2026



To,

Mr Sanjay Mehta
STAR PIONEERS CONSTRUCTION PRIVATE LIMITED
City View, 9th floor, Opp to Apsara Talkies, Near 7 Loves Chowk, Gultekdi, Pune, PUNE,
MAHARASHTRA, 411037
starpioneers.parivesh@gmail.com

Subject: Grant of EC under the provision of the EIA Notification 2006-regarding.

Sir/Madam,

This is in reference to your application for Grant of EC under the provision of the EIA Notification 2006-regarding in respect of project Proposed Expansion in Residential Building at Sr .no 8/1C, Village Baner, Pan Card Road, Pune 411045 by M/s. Star Pioneer Private Limited submitted to Ministry vide proposal number SIA/MH/INFRA2/556692/2025 dated 31/10/2025.

2. The particulars of the proposal are as below:

(i) EC Identification No.	EC25C3801MH5986859N
(ii) File No.	SIA/MH/INFRA2/556692/2025
(iii) Clearance Type	EC
(iv) Category	B2
(v) Project/Activity Included Schedule No.	8(a) Building / Construction
(vii) Name of Project	Proposed Expansion in Residential Building at Sr .no 8/1C, Village Baner, Pan Card Road, Pune 411045 by M/s. Star Pioneer Private Limited
(viii) Name of Company/Organization	STAR PIONEERS CONSTRUCTION PRIVATE LIMITED
(ix) Location of Project (District, State)	PUNE, MAHARASHTRA
(x) Issuing Authority	SEIAA
(xi) Applicability of General Conditions	no
(xii) Applicability of Specific Conditions	no

Plot/Survey Khasra Nos.:

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-1(Part A and B) were submitted to the Ministry for an appraisal by the State Environment Impact Assessment Authority(SEIAA) Appraisal Committee (SEIAA) in the Ministry under the provision of EIA notification 2006 and its subsequent amendments.
4. The above-mentioned proposal has been considered by State Environment Impact Assessment Authority(SEIAA) Appraisal Committee of SEIAA in the meeting held on 21/01/2026. The minutes of the meeting and all the Application and documents submitted [(viz. Form-1 Part A, Part B, Part C EIA, EMP)] are available on PARIVESH portal which can be accessed by scanning the QR Code above.
5. The brief about configuration of plant/equipment, products and byproducts and salient features of the project along with environment settings, as submitted by the Project proponent in Form-1 (Part A, B and C)/EIA & EMP Reports/presented during SEIAA are annexed to this EC as Annexure (1).
6. The SEIAA, in its meeting held on 21/01/2026, based on information & clarifications provided by the project proponent and after detailed deliberations recommended the proposal for grant of EC under the provision of EIA Notification, 2006 and as amended thereof subject to stipulation of specific and general conditions as detailed in Annexure (2).
7. The SEIAA has examined the proposal in accordance with the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and after accepting the recommendations of the State Environment Impact Assessment Authority(SEIAA) Appraisal Committee hereby decided to grant EC for instant proposal of M/s. Mr Sanjay Mehta under the provisions of EIA Notification, 2006 and as amended thereof.
8. The Ministry reserves the right to stipulate additional conditions, if found necessary.
9. The EC to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.
10. This issues with the approval of the Competent Authority.

Annexure 1

Specific EC Conditions for (Building / Construction)

1. Specific


S. No	EC Conditions
1.1	<ol style="list-style-type: none"> 1. PP to obtain IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions indicating all required RG area as per prevailing Hon'ble Supreme Court Order. PP to obtain all mandatory NOCs from the concerned planning authority and the planning authority shall not issue occupation certificate unless PP obtains the same. 2. PP to provide water treatment plant. 3. Committee noted that a sustainable water supply network is currently not available at the project site. PP to undertake that no occupation will be given till sustainable water supply is available to the project site. 4. PP to prepare and implement plan to make proposed project a plastic free zone. 5. PP to ensure to achieve the standard parameters of the treated sewage as per order issued by the Hon'ble National Green tribunal on 30.04.2019. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. 6. PP and the planning authority shall ensure that, the construction and demolition waste (C and D waste) is collected and treated at designated places as per Construction and Demolition Waste

S. No	EC Conditions
	<p>Management Rules, 2016 amended from time to time.</p> <p>7. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.</p> <p>8. PP to ensure to achieve minimum 5% energy saving by using non-conventional energy source.</p>

Annexure 2

Details of Products & By-products

Name of the product /By-product	Product / By-product	Existing	Proposed	Total	Unit	Mode of Transport / Transmission
The project is a building construction project involving construction of residential building. Manufacturing of any products/by-products is not involved	The project is a building construction project involving construction of residential building. Manufacturing of any products/by-products is not involved	0	0	0	The project is a building construction project involving construction of residential building. Manufacturing of any products/by-products is not involved	The project is a building construction project involving construction of residential building. Manufacturing of any products/by-products is not involved



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/556692/2025
Environment & Climate
Change Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To
M/s. Star Pioneer Private Limited
Sr .no 8/1C, Village Baner, Pan Card Road, Pune 411045

Subject : Environmental Clearance for Proposed Expansion in Residential Building at Sr .no 8/1C, Village Baner, Pan Card Road, Pune 411045 by M/s. Star Pioneer Private Limited

Reference : Application no. SIA/MH/INFRA2/556692/2025

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-III in its 243rd meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 318th (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 19th January, 2026.

2. Brief Information of the project submitted by you is as below: -

1	Proposal Number	SIA/MH/INFRA2/556692/2025	
2	Name of Project	Proposed Expansion in Residential Building at Sr .no 8/1C, Village Baner, Pan Card Road, Pune 411045 by M/s. Star Pioneer Private Limited	
3	Project Category	8(a), B2 Category	
4	Type of Institution	Private	
5	Name of Project Proponent	Name	M/s. Star Pioneer Private Limited
		Regd. Office address	9th floor, opp. Apsara Talkies, Near 7 Love Chowk, Gultekdi, Pune
		Email ID	starpioneers.parivesh@gmail.com
6	Consultant	Open Arch Design and Enviro Solutions LLP Accreditation NO: QCI/NABET/ENV/ACO/24/3408 dated 11/11/2024 Valid Till 22/05/2027	
7	Applied for	Expansion in Environment Clearance	
8	Details of previous EC	Yes, 1 st EC was granted from Environmental Department on 21/07/2025, File No. SIA/MH/INFRA2/515297/2024 for Plot area of 3,820.00 m ² and BUA of 41,595.52 m ² .	
9	Location of project	Sr .no 8/1C, Village Baner, Pan Card Road, Pune 411045, Maharashtra	
10	Latitude and Longitude	18°33'25.90"N 73°47'11.25"E	
11	Total Plot area	3,820.00 m ²	
12	Deductions	00 m ²	
13	Net Plot Area	3,820.00 m ²	
14	Proposed FSI Area	21,726.52 m ²	
15	Proposed Non FSI Area	22,073.48 m ²	

16	Proposed Total BUA	43,800.00 m ²																						
17	TBUA approved by Planning Authority till date	IOD has been received on 16/12/2025 vide outward number Zone-3/6266 from Pune Municipal Corporation, with an approved total BUA of 43,800.00 m ²																						
18	Total ground coverage (m2) & %	2,085.65 m ² (54.5% of Net Plot area)																						
19	Total project cost (Rs.)	Rs. 185 Crore																						
20	CER as per MoEF & CC circular dated 01/05/2018	CER implemented as EMP as per MoEF&CC & amp; CC circular dated 30.09.2020																						
21	<p>Details of Building Configuration: <Please use following legends: G = Ground, P = Podium></p> <table border="1"> <thead> <tr> <th colspan="3">As per previous EC received on 21/07/2025, File No.: SIA/MH/INFRA2/515297/2024</th> <th colspan="3">Proposed Configuration</th> <th rowspan="2">Remark</th> <th rowspan="2">Reason</th> </tr> <tr> <th>Building Name</th> <th>Configuration</th> <th>Height (m)</th> <th>Building Name</th> <th>Configuration</th> <th>Height (m)</th> </tr> </thead> <tbody> <tr> <td>Building A</td> <td>B2+B1+LG+UG+P1 (Park.) +1st to 22nd (Resi.) + 23rd (Resi. + Recre.) + 24th (Recre.) + 25th (Service) FL</td> <td>88.34</td> <td>Building A</td> <td>B+LG+UG+P1 To P4(Park.) +1st TO 24th (Resi.) + 25rd (Resi. + Recre.) + 26th (Recre.) + 27th (Service) FL</td> <td>110.35</td> <td>Height increased by 22.01</td> <td>Vertical Expansion Removal of one basement & Addition of 3 podium for parking, 2 Floor for residential</td> </tr> </tbody> </table>		As per previous EC received on 21/07/2025, File No.: SIA/MH/INFRA2/515297/2024			Proposed Configuration			Remark	Reason	Building Name	Configuration	Height (m)	Building Name	Configuration	Height (m)	Building A	B2+B1+LG+UG+P1 (Park.) +1 st to 22 nd (Resi.) + 23 rd (Resi. + Recre.) + 24 th (Recre.) + 25 th (Service) FL	88.34	Building A	B+LG+UG+P1 To P4(Park.) +1st TO 24th (Resi.) + 25rd (Resi. + Recre.) + 26th (Recre.) + 27th (Service) FL	110.35	Height increased by 22.01	Vertical Expansion Removal of one basement & Addition of 3 podium for parking, 2 Floor for residential
As per previous EC received on 21/07/2025, File No.: SIA/MH/INFRA2/515297/2024			Proposed Configuration			Remark	Reason																	
Building Name	Configuration	Height (m)	Building Name	Configuration	Height (m)																			
Building A	B2+B1+LG+UG+P1 (Park.) +1 st to 22 nd (Resi.) + 23 rd (Resi. + Recre.) + 24 th (Recre.) + 25 th (Service) FL	88.34	Building A	B+LG+UG+P1 To P4(Park.) +1st TO 24th (Resi.) + 25rd (Resi. + Recre.) + 26th (Recre.) + 27th (Service) FL	110.35	Height increased by 22.01	Vertical Expansion Removal of one basement & Addition of 3 podium for parking, 2 Floor for residential																	
22	Total number of tenements	Residential Tenements – 196 nos																						
	Total Number of Population	Residential Population – 980 nos																						
23	Total Water Requirement																							
		<table border="1"> <thead> <tr> <th></th> <th>Dry Season</th> <th>Wet Season</th> </tr> </thead> <tbody> <tr> <td>Fresh water</td> <td>103 m³/day</td> <td>103 m³/day</td> </tr> <tr> <td>Recycled water (Flushing)</td> <td>44 m³/day</td> <td>44 m³/day</td> </tr> <tr> <td>Recycled water (Gardening)</td> <td>03 m³/day</td> <td>00 m³/day</td> </tr> <tr> <td>Total water requirement</td> <td>150 m³/day</td> <td>147 m³/day</td> </tr> <tr> <td>Waste water generation</td> <td>137 m³/day</td> <td>137 m³/day</td> </tr> </tbody> </table>		Dry Season	Wet Season	Fresh water	103 m ³ /day	103 m ³ /day	Recycled water (Flushing)	44 m ³ /day	44 m ³ /day	Recycled water (Gardening)	03 m ³ /day	00 m ³ /day	Total water requirement	150 m ³ /day	147 m ³ /day	Waste water generation	137 m ³ /day	137 m ³ /day				
	Dry Season	Wet Season																						
Fresh water	103 m ³ /day	103 m ³ /day																						
Recycled water (Flushing)	44 m ³ /day	44 m ³ /day																						
Recycled water (Gardening)	03 m ³ /day	00 m ³ /day																						
Total water requirement	150 m ³ /day	147 m ³ /day																						
Waste water generation	137 m ³ /day	137 m ³ /day																						
24	Firefighting (Underground water tank)	As per Fire NOC																						
	Overhead Fire water tank (For each building)	As per Fire NOC																						
25	Source of water	PMC (Pune Municipal Corporation)																						
26	Rain Water Harvesting (RWH)																							
	i) Level of the ground water table	Post-Monsoon water table depth-5-to 6-meter BGL Pre-Monsoon water table depth-15 to 16-meter BGL																						
	ii) Size and no of RWH tank(s) and	1 no of rain water harvesting tank: Volume 40 cubic meter																						

	Quantity																				
	iii) Quantity and size of recharge pits	Total No. 5 (2 Roof top + 3 Surface) Surface pit size – 2m x 2m x 1.9m Terrace pit size – 2m x 1.5m x 2m																			
	iv) Details of UGT tanks if any:	Underground tank capacities Fire UGT capacity – As per Fire NOC Drinking Underground Tank 01 – 22.5 m ³ Domestic Underground Tank 01 – 89 m ³ Domestic Underground Tank 02 – 44.5 m ³																			
27	Sewage and wastewater Demand	<table border="1"> <tr> <td>i) Sewage generation</td> <td>137 m³/day</td> </tr> <tr> <td>ii) STP technology</td> <td>MBR (For proposed STP)</td> </tr> <tr> <td>iii) No. and Capacity of STP</td> <td>1 no. x 150 m³/day</td> </tr> </table>		i) Sewage generation	137 m ³ /day	ii) STP technology	MBR (For proposed STP)	iii) No. and Capacity of STP	1 no. x 150 m ³ /day												
i) Sewage generation	137 m ³ /day																				
ii) STP technology	MBR (For proposed STP)																				
iii) No. and Capacity of STP	1 no. x 150 m ³ /day																				
28	Solid Waste Management during Construction phase:	<table border="1"> <thead> <tr> <th>Type</th> <th>Quantity</th> <th>Treatment/ disposal</th> </tr> </thead> <tbody> <tr> <td>i) Dry waste</td> <td>4 kg/day</td> <td>-</td> </tr> <tr> <td>ii) Wet waste</td> <td>8 kg/day</td> <td>-</td> </tr> <tr> <td>iii) Construction Waste generation</td> <td colspan="2">The construction waste generated during construction phase shall be segregated, reused, and surplus shall be led to scrap dealers for recycling.</td> </tr> </tbody> </table>		Type	Quantity	Treatment/ disposal	i) Dry waste	4 kg/day	-	ii) Wet waste	8 kg/day	-	iii) Construction Waste generation	The construction waste generated during construction phase shall be segregated, reused, and surplus shall be led to scrap dealers for recycling.							
Type	Quantity	Treatment/ disposal																			
i) Dry waste	4 kg/day	-																			
ii) Wet waste	8 kg/day	-																			
iii) Construction Waste generation	The construction waste generated during construction phase shall be segregated, reused, and surplus shall be led to scrap dealers for recycling.																				
29	Solid Waste Management during operation Phase:	<table border="1"> <thead> <tr> <th>Type</th> <th>Quantity (kg/day)</th> <th>Treatment/ disposal</th> </tr> </thead> <tbody> <tr> <td>Total waste generation</td> <td>490 kg/day</td> <td>Will be segregated at source on daily basis</td> </tr> <tr> <td>Wet waste</td> <td>294 kg/day</td> <td>Through Organic Waste Converter. Generated manure will be used for gardening.</td> </tr> <tr> <td>Dry waste</td> <td>195 kg/day</td> <td>Handed over to the authorized recycling agency</td> </tr> <tr> <td>STP sludge</td> <td>9 kg/day</td> <td>Will be operated in OWC</td> </tr> <tr> <td>E-waste</td> <td>1 kg/day</td> <td>Handed over to authorized recyclers.</td> </tr> </tbody> </table>		Type	Quantity (kg/day)	Treatment/ disposal	Total waste generation	490 kg/day	Will be segregated at source on daily basis	Wet waste	294 kg/day	Through Organic Waste Converter. Generated manure will be used for gardening.	Dry waste	195 kg/day	Handed over to the authorized recycling agency	STP sludge	9 kg/day	Will be operated in OWC	E-waste	1 kg/day	Handed over to authorized recyclers.
Type	Quantity (kg/day)	Treatment/ disposal																			
Total waste generation	490 kg/day	Will be segregated at source on daily basis																			
Wet waste	294 kg/day	Through Organic Waste Converter. Generated manure will be used for gardening.																			
Dry waste	195 kg/day	Handed over to the authorized recycling agency																			
STP sludge	9 kg/day	Will be operated in OWC																			
E-waste	1 kg/day	Handed over to authorized recyclers.																			
30	Green Belt Development	<table border="1"> <tr> <td>Net Plot Area</td> <td>3,820.00 m²</td> </tr> <tr> <td>Total R.G. area Required</td> <td>Not Applicable</td> </tr> <tr> <td>Total Green Area Provided</td> <td>0 m²</td> </tr> <tr> <td>Required Trees on site</td> <td>48 nos (1 Tree @ 80 m²)</td> </tr> <tr> <td>Existing Trees on Project Site</td> <td>00 nos</td> </tr> <tr> <td>Trees to be Cut</td> <td>00 nos</td> </tr> <tr> <td>Trees to be Retained</td> <td>00 nos</td> </tr> <tr> <td>Total required trees to be planted</td> <td>48 nos</td> </tr> <tr> <td>Total proposed trees to be planted</td> <td>86 nos</td> </tr> </table>		Net Plot Area	3,820.00 m ²	Total R.G. area Required	Not Applicable	Total Green Area Provided	0 m ²	Required Trees on site	48 nos (1 Tree @ 80 m ²)	Existing Trees on Project Site	00 nos	Trees to be Cut	00 nos	Trees to be Retained	00 nos	Total required trees to be planted	48 nos	Total proposed trees to be planted	86 nos
Net Plot Area	3,820.00 m ²																				
Total R.G. area Required	Not Applicable																				
Total Green Area Provided	0 m ²																				
Required Trees on site	48 nos (1 Tree @ 80 m ²)																				
Existing Trees on Project Site	00 nos																				
Trees to be Cut	00 nos																				
Trees to be Retained	00 nos																				
Total required trees to be planted	48 nos																				
Total proposed trees to be planted	86 nos																				
31	Power requirement	<table border="1"> <tr> <td>Source of power supply</td> <td>MSEDCL</td> </tr> <tr> <td>During Construction Phase: (Demand Load)</td> <td>100 KW</td> </tr> <tr> <td>During Operation phase (Connected Load)</td> <td>2282.04 KW</td> </tr> </table>		Source of power supply	MSEDCL	During Construction Phase: (Demand Load)	100 KW	During Operation phase (Connected Load)	2282.04 KW												
Source of power supply	MSEDCL																				
During Construction Phase: (Demand Load)	100 KW																				
During Operation phase (Connected Load)	2282.04 KW																				

		During Operation phase (Demand Load)	1014.97 KW		
		Transformer	2 nos. x 630 kVA		
		DG set	2 no X 500 KVA		
		Fuel Used	HSD		
32	Details of Energy saving	Overall energy saving: 13.5 %			
33	Environmental Management plan budget during Construction phase				
	Pollution Control & Other Environmental Infrastructure proposed	Estimated Cost Rs. in Lakh			
	Site Barricading, Dust Suppression measures & Noise control enclosures	29			
	Mobile Toilets & Sanitation management in Labor Colony	4.8			
	Labour Safety & Training	6			
	Disinfection & Health Programmes for Labour	0.51			
	Environmental Monitoring	3			
	Environmental Monitoring cell	25			
	Total	68.31			
34	Environmental Management plan budget during Operation phase				
	SN	Pollution Control & Other Environmental Infrastructure proposed	Details	Estimated Capital Cost Rs. in Lakh	Estimated Annual O & m Cost Rs. in Lakh/year
	1	Sewage Treatment Plant	STP having total capacity of 150 m ³ /day	62.32	15.31
	2	Rainwater Harvesting Structures	05 nos. of recharge pits & 40m ³ rain water harvesting tank	7	0.50
	3	Organic Waste Convertor & Solid waste Management	Cost for Treatment of Biodegradable Garbage in OWC	12.5	1.5
	4	Landscape Development & Maintenance	Monitoring and analysis of Air, Water, Noise, Soil, surface water, STP treated water etc.	3.5	0.5
	5	Environment Monitoring	-	MoEF&CC Approved Lab	2.0
	6	Energy Conservation	Solar	53.3	2.67
	7	Fire Fighting system	-	15	0.75
	8	Stormwater management	Laying of storm & Sewer line up to final disposal point	12	0.30
	9	Basement air cleaning system & ventilation	-	10	1.0
	10	Low flow devices, Basement dewatering	-	8	0.50
	11	Disaster Management	-	73.50	3.68
		Total		257.12	28.71

35	Traffic Management:	Type	Required as per UDCR	Actual Provided	Area per parking (m²)
		4 -wheeler	154 nos	154 nos	12.50 m ² for Large Car, 10.35 m ² for Small Car
		2 -wheeler	206 nos	206 nos	2.00 m ²
36	Details of Court cases / litigations w.r.t. the project and project location if any.				No court case

The comparative statement of earlier EC and proposed amendment/ expansion as given by PP is as below,

Sr.	Description	Details as per EC received on 21/07/2025	As per proposed expansion	Remarks
1	Total Plot Area (m2)	3,820.00 m ²	3,820.00 m ²	No change
3	Net Plot Area (m2)	3,431.00 m ²	3,820.00 m ²	Increase by as per revised IOD 389 m ²
4	FSI Area (m2)	21,008.43 m ²	21,726.52 m ²	Increase by 718.09 m ²
5	Non FSI Area (m2)	20,587.09 m ²	22,073.48 m ²	Increase by 1,486.39 m ²
6	Total Construction (m2)	41,595.52 m ²	43,800.00 m ²	Increase by 2,204.48 m ²
7	Building wise details	Building A B2+B1+LG+UG+P1 (Park.) +1 st to 22 nd (Resi.) + 23 rd (Resi. + Recre.) + 24 th (Recre.) + 25 th (Service) FL Height (m) – 88.34 m	Building A B+LG+UG+P1 to P4 (Park.) +1 st to 24 th (Resi.) + 25 th (Resi. + Recre.) + 26 th (Recre.) + 27 th (Service) FL Height (m) – 110.35	Height Increased by 22.01 m Vertical Expansion Removal of one basement & Addition of 3 podium for parking, 2 Floor for residential
8	No. of Tenements	180 nos	196 nos	Increase by 16 nos
9	No. of users	900 nos	980 nos	Increase by 80 nos
10	Domestic Water Reqt.	81 m ³ /day	103 m ³ /day	Increase by 22 m ³ /day
11	Flushing Water Reqt.	40 m ³ /day	44 m ³ /day	Increase by 4 m ³ /day
12	Landscaping Water Reqt.	03 m ³ /day	03 m ³ /day	No Change
13	Sewage Generation	113 m ³ /day	137 m ³ /day	Increase by 24 m ³ /day
14	STP Capacity	125 m ³ /day	150 m ³ /day	Increase by 25 m ³ /day
15	Bio-degradable waste	270 kg/day	294 kg/day	Increase by 24 kg/day
16	Non-Bio-degradable waste	147 kg/day	195 kg/day	Increase by 48 kg/day
17	Power requirement	902.08 KVA	1014.97 KVA	Increase by 112.89 KVA
18	DG sets	2 no x 500 kVA	2 no x 500 kVA	No Change
19	RG area	0	0	-

20	Location of RG area	-	-	-
----	---------------------	---	---	---

3. PP has obtained first EC vide Letter No. SIA/MH/INFRA2/515297/2024 dated 21/07/2025 for total BUA of 41,595.52m². Proposal has been considered by SEIAA in its 318th (Day-1) meeting held on 19th January, 2026 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

SEAC Conditions-

1. PP to obtain IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions indicating all required RG area as per prevailing Hon'ble Supreme Court Order. PP to obtain all mandatory NOCs from the concerned planning authority and the planning authority shall not issue occupation certificate unless PP obtains the same.
2. PP to provide water treatment plant.
3. Committee noted that a sustainable water supply network is currently not available at the project site. PP to undertake that no occupation will be given till sustainable water supply is available to the project site.
4. PP to prepare and implement plan to make proposed project a plastic free zone.
5. PP to ensure to achieve the standard parameters of the treated sewage as per order issued by the Hon'ble National Green tribunal on 30.04.2019. PP to ensure that, the water proposed to be used for construction phase should not be drinking water.
6. PP and the planning authority shall ensure that, the construction and demolition waste (C and D waste) is collected and treated at designated places as per Construction and Demolition Waste Management Rules, 2016 amended from time to time.
7. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
8. PP to ensure to achieve minimum 5% energy saving by using non-conventional energy source

SEIAA Conditions-

1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
3. Air Quality Index monitoring to be ensured. Dust suppression measures shall be implemented also considering height of the building. Additional measures to be ensured.
4. In view of Maharashtra Electric Vehicle Policy, 2025, PP to provide electric vehicle D. C. Charger for 20 % of total parking provided, the number of D. C. Chargers should be worked out as provided in Niti Ayog Handbook of EV charging infrastructure implementation.
5. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.

6. SEIAA after deliberation decided to grant EC for- FSI area of 21,726.52 m², Non FSI area of 22,073.48 m² and total BUA of 43,800.00 m². (Plan approval No- Pune Municipal Corporation having Outward no. 6266 dated 16/12/2025)

General Conditions:

a) Construction Phase: -

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.

- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase: -

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.

- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions: -

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental

protection measures required, if any.

VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


Jayashree Bhoj (IAS)
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune.
6. Commissioner, Pune Municipal Corporation (PMC).
7. Regional Officer, Maharashtra Pollution Control Board, Pune.