



सत्यमेव जयते

File No: SIA/MH/INFRA2/515297/2024  
Government of India  
Ministry of Environment, Forest and Climate Change  
(Issued by the State Environment Impact Assessment  
Authority(SEIAA), MAHARASHTRA)

\*\*\*



Dated 21/07/2025



To,

Mr Sanjay Mehta  
STAR PIONEERS CONSTRUCTION PRIVATE LIMITED  
City View, 9th floor, Opp to Apsara Talkies, Near 7 Loves Chowk, Gultekdi, Pune, PUNE, PUNE,  
MAHARASHTRA, 411037  
starpioneers.parivesh@gmail.com

**Subject:** Grant of EC under the provision of the EIA Notification 2006-regarding.

**Sir/Madam,**

This is in reference to your application for Grant of EC under the provision of the EIA Notification 2006-regarding in respect of project Proposed Residential Building at Sr. No 8/1C, Village Baner, Pan Card Road, Pune 411045 by M/s. Star Pioneer Private Limited submitted to Ministry vide proposal number SIA/MH/INFRA2/515297/2024 dated 23/12/2024.

2. The particulars of the proposal are as below :

(i) EC Identification No.	EC24C3801MH5501125N
(ii) File No.	SIA/MH/INFRA2/515297/2024
(iii) Clearance Type	EC
(iv) Category	B2
(v) Project/Activity Included Schedule No.	8(a) Building / Construction
(vii) Name of Project	Proposed Residential Building at Sr. No 8/1C, Village Baner, Pan Card Road, Pune 411045 by M/s. Star Pioneer Private Limited
(viii) Name of Company/Organization	STAR PIONEERS CONSTRUCTION PRIVATE LIMITED
(ix) Location of Project (District, State)	PUNE, MAHARASHTRA
(x) Issuing Authority	SEIAA
(xi) Applicability of General Conditions	no
(xii) Applicability of Specific Conditions	no

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-1(Part A and B) were

submitted to the Ministry for an appraisal by the State Environment Impact Assessment Authority (SEIAA) Appraisal Committee (SEIAA) in the Ministry under the provision of EIA notification 2006 and its subsequent amendments.

4. The above-mentioned proposal has been considered by State Environment Impact Assessment Authority (SEIAA) Appraisal Committee of SEIAA in the meeting held on 18/06/2025. The minutes of the meeting and all the Application and documents submitted [(viz. Form-1 Part A, Part B, Part C EIA, EMP)] are available on PARIVESH portal which can be accessed by scanning the QR Code above.
5. The brief about configuration of plant/equipment, products and byproducts and salient features of the project along with environment settings, as submitted by the Project proponent in Form-1 (Part A, B and C)/EIA & EMP Reports/presented during SEIAA are annexed to this EC as Annexure (1).
6. The SEIAA, in its meeting held on 18/06/2025, based on information & clarifications provided by the project proponent and after detailed deliberations recommended the proposal for grant of EC under the provision of EIA Notification, 2006 and as amended thereof subject to stipulation of specific and general conditions as detailed in Annexure (2).
7. The SEIAA has examined the proposal in accordance with the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and after accepting the recommendations of the State Environment Impact Assessment Authority (SEIAA) Appraisal Committee hereby decided to grant EC for instant proposal of M/s. Mr Sanjay Mehta under the provisions of EIA Notification, 2006 and as amended thereof.
8. The Ministry reserves the right to stipulate additional conditions, if found necessary.
9. The EC to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.
10. This issues with the approval of the Competent Authority.

## Annexure 1

### Specific EC Conditions for (Building / Construction)

#### 1. Specific

S. No	EC Conditions
1.1	<ol style="list-style-type: none"> <li>1. PP to submit NoC for water supply, Drainage NoC and Solid waste management NOC.</li> <li>2. With reference to the directions given by Hon'ble National Green Tribunal, Central Zone Bench, Bhopal in Original Application No. 93/2024(CZ) vide order dt., 08.09.2024, PP and Consultant to jointly submit undertaking that the project site is <b>not</b> located in whole or in part within 5 km. of the protected area notified under the Wildlife (Protection) Act, 1972, critically polluted areas and severely polluted areas as identified by the CPCB, eco-sensitive areas notified under Section 3(2) of the Environment (Protection) Act, and the inter-state boundaries.</li> <li>3. PP to obtain IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions indicating all required RG area as per prevailing Hon'ble Supreme Court Order. PP to obtain all mandatory NOCs from the concerned planning authority and the planning authority shall not issue occupation certificate unless PP obtains the same.</li> <li>4. PP to prepare and implement plan to make proposed project a plastic free zone.</li> <li>5. PP to ensure to achieve the standard parameters of the treated sewage as per order issued by the Hon'ble National Green Tribunal on 30.04.2019. PP to ensure that, the water proposed to be used for construction phase should not be drinking water.</li> </ol>

S. No	EC Conditions
	<p>6. PP and the planning authority shall ensure that, the construction and demolition waste (C and D waste) is collected and treated at designated places as per Construction and Demolition Waste Management Rules, 2016 amended from time to time.</p> <p>7. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.</p> <p>8. PP to ensure to achieve minimum 5% energy saving by using non-conventional energy source.</p>

**Annexure 2**

**Details of Products & By-products**

Name of the product /By-product	Product / By-product	Quantity	Unit	Mode of Transport / Transmission	Remarks (eg. CAS number)
The project is a building construction project involving construction of residential building. Manufacturing of any products/by-products is not involved	The project is a building construction project involving construction of residential building. Manufacturing of any products/by-products is not involved	0	NA	The project is a building construction project involving construction of residential building. Manufacturing of any products/by-products is not involved	The project is a building construction project involving construction of residential building. Manufacturing of any products/by-products is not involved

**STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY**

No. SIA/MH/INFRA2/515297/2024.  
Environment & Climate Change Department  
Room No. 217, 2<sup>nd</sup> Floor,  
Mantralaya, Mumbai- 400032.

To,  
M/s. Star Pioneer Construction Private Limited.  
9th floor, opp. Apsara Talkies,  
Near 7 Love Chowk, Gultekdi,  
Pune

Subject : Environmental Clearance for Proposed Residential Building at Sr. No 8/1C, Village Baner, Pan Card Road, Pune 411045 by M/s. Star Pioneer Private Limited.

Reference : Application no. SIA/MH/INFRA2/515297/2024.

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-III in its 218<sup>th</sup> meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 296<sup>th</sup> (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 18<sup>th</sup> June, 2025.

Brief Information of the project submitted by you is as below: -

1	Proposal Number	SIA/MH/INFRA2/515297/2024	
2	Name of Project	Proposed Residential Building at Sr .no 8/1C, Village Baner, Pan Card Road, Pune 411045 by M/s. Star Pioneer Construction Private Limited.	
3	Project Category	8(a), B2 Category	
4	Type of Institution	Private	
5	Name of Project Proponent	Name	M/s. Star Pioneer Construction Private Limited
		Regd. Office address	9th floor, opp. Apsara Talkies, Near 7 Love Chowk, Gultekdi, Pune
6	Consultant	Name	Southern Enviro Engineers Private Limited
		QCI Accreditation Status	QCI/NABET/ENV/ACO/23/2854 Valid upto 29/03/2026
7	Applied for	Fresh Environment Clearance	
8	Details of previous EC	Not Applicable	
9	Location of project	Sr .no 8/1C, Village Baner, Pan Card Road, Pune 411045, Maharashtra	

10	Latitude and Longitude	18°33'25.90"N 73°47'11.25"E	
11	Total Plot area	3,820.00 m <sup>2</sup>	
12	Deductions	389.00 m <sup>2</sup>	
13	Net Plot Area	3,431 m <sup>2</sup>	
14	Proposed FSI Area	21,008.43 m <sup>2</sup>	
15	Proposed Non FSI Area	20,587.09 m <sup>2</sup>	
16	Proposed Total BUA area	41,595.52 m <sup>2</sup>	
17	TBUA approved by Planning Authority till date	We have applied for IOD	
18	Total ground coverage (m2) and %	1,608 m <sup>2</sup> ( 47 % of net plot area)	
19	Total project cost (Rs.)	Rs. 183.50 Crore	
20	CER as per MoEF and CC circular dated 01/05/2018	Not applicable, As we have applied for Prior Environment Clearance	
21	Details of Building Configuration:		
	Building Name	Configuration	Height (m)
	Building A	B2+B1+LG+UG+P1 (Park.) +1st TO 22nd (Resi.) + 23rd (Resi. + Recre.) + 24th ( Recre.) + 25th (Service) FL	88.34
22	Total number of tenements	Residential Tenements – 180 no's	
	Total Number of Population	Residential Population – 900 no's	
23	Total Water Requirement		
		Dry Season	Wet Season
	Fresh water	81 m <sup>3</sup> /day	81 m <sup>3</sup> /day
	Recycled water (Flushing)	40 m <sup>3</sup> /day	40 m <sup>3</sup> /day
	Recycled water (Gardening)	03 m <sup>3</sup> /day	00 m <sup>3</sup> /day
	Total water requirement	124 m <sup>3</sup> /day	121 m <sup>3</sup> /day
	Waste water generation	108 m <sup>3</sup> /day	108 m <sup>3</sup> /day
24	Firefighting (Underground water tank)	200 m <sup>3</sup>	200 m <sup>3</sup>
	Overhead Fire water tank (For each building)	25 m <sup>3</sup>	25 m <sup>3</sup>
25	Source of water	PMC (Pune Municipal Corporation)	
26	Rain Water Harvesting (RWH)		
	i) Level of the ground water table	Pre monsoon: 15 to 16 m BGL Post monsoon: 5 to 6 m avg.	

	ii) Size and no of RWH tank(s) and Quantity	Not applicable																			
	iii) Quantity and size of recharge pits	Total No. 3 (2 Roof top + 1 Surface) Surface pit size – 2m x 2m x 1.9m Terrace pit size – 2m x 1.5m x 2m																			
	iv) Details of UGT tanks if any:	Underground tank capacities Domestic water Tank – 182.25 m <sup>3</sup> Flushing water tank – 241 m <sup>3</sup>																			
27	Sewage and waste water Demand	i) Sewage generation	113 m <sup>3</sup> /day																		
		ii) STP technology	MBR (For proposed STP)																		
		iii) No. and Capacity of STP	1 no. x 125 m <sup>3</sup> /day																		
28	Solid Waste Management during Construction phase:	<table border="1"> <thead> <tr> <th>Type</th> <th>Quantity</th> <th>Treatment/ disposal</th> </tr> </thead> <tbody> <tr> <td>i) Dry waste</td> <td>4 kg/day</td> <td>-</td> </tr> <tr> <td>ii) Wet waste</td> <td>8 kg/day</td> <td>-</td> </tr> <tr> <td>iii) Construction Waste generation</td> <td colspan="2">The construction waste generated during construction phase shall be segregated, reused and surplus shall be led to scrap dealers for recycling.</td> </tr> </tbody> </table>		Type	Quantity	Treatment/ disposal	i) Dry waste	4 kg/day	-	ii) Wet waste	8 kg/day	-	iii) Construction Waste generation	The construction waste generated during construction phase shall be segregated, reused and surplus shall be led to scrap dealers for recycling.							
Type	Quantity	Treatment/ disposal																			
i) Dry waste	4 kg/day	-																			
ii) Wet waste	8 kg/day	-																			
iii) Construction Waste generation	The construction waste generated during construction phase shall be segregated, reused and surplus shall be led to scrap dealers for recycling.																				
29	Solid Waste Management during operation Phase:	<table border="1"> <thead> <tr> <th>Type</th> <th>Quantity (kg/day)</th> <th>Treatment/ disposal</th> </tr> </thead> <tbody> <tr> <td>Total waste generation</td> <td>440 kg/day</td> <td>Will be segregated at source on daily basis</td> </tr> <tr> <td>Wet waste</td> <td>270 kg/day</td> <td>Through Organic Waste Convertor. Generated manure will be used for gardening.</td> </tr> <tr> <td>Dry waste</td> <td>147 kg/day</td> <td>Handed over to the authorized recycling agency</td> </tr> <tr> <td>STP sludge</td> <td>22 kg/day</td> <td>Will be operated in OWC</td> </tr> <tr> <td>E-waste</td> <td>1 kg/day</td> <td>Handed over to authorized recyclers.</td> </tr> </tbody> </table>		Type	Quantity (kg/day)	Treatment/ disposal	Total waste generation	440 kg/day	Will be segregated at source on daily basis	Wet waste	270 kg/day	Through Organic Waste Convertor. Generated manure will be used for gardening.	Dry waste	147 kg/day	Handed over to the authorized recycling agency	STP sludge	22 kg/day	Will be operated in OWC	E-waste	1 kg/day	Handed over to authorized recyclers.
Type	Quantity (kg/day)	Treatment/ disposal																			
Total waste generation	440 kg/day	Will be segregated at source on daily basis																			
Wet waste	270 kg/day	Through Organic Waste Convertor. Generated manure will be used for gardening.																			
Dry waste	147 kg/day	Handed over to the authorized recycling agency																			
STP sludge	22 kg/day	Will be operated in OWC																			
E-waste	1 kg/day	Handed over to authorized recyclers.																			
30	Green Belt Development	<table border="1"> <tbody> <tr> <td>Net Plot Area</td> <td>3,431 m<sup>2</sup></td> </tr> <tr> <td>Total R.G. area Required</td> <td>00.0 m<sup>2</sup> (10 % Of Net Plot Area)</td> </tr> <tr> <td>Total Green Area Provided</td> <td>00.0 m<sup>2</sup></td> </tr> <tr> <td>Required Trees on site</td> <td>43 nos (1 Tree @ 80 m<sup>2</sup>)</td> </tr> <tr> <td>Existing Trees on Project Site</td> <td>00 nos</td> </tr> <tr> <td>Total required trees to be planted</td> <td>43 nos</td> </tr> <tr> <td>Total proposed trees to be planted</td> <td>43 no's</td> </tr> </tbody> </table>		Net Plot Area	3,431 m <sup>2</sup>	Total R.G. area Required	00.0 m <sup>2</sup> (10 % Of Net Plot Area)	Total Green Area Provided	00.0 m <sup>2</sup>	Required Trees on site	43 nos (1 Tree @ 80 m <sup>2</sup> )	Existing Trees on Project Site	00 nos	Total required trees to be planted	43 nos	Total proposed trees to be planted	43 no's				
Net Plot Area	3,431 m <sup>2</sup>																				
Total R.G. area Required	00.0 m <sup>2</sup> (10 % Of Net Plot Area)																				
Total Green Area Provided	00.0 m <sup>2</sup>																				
Required Trees on site	43 nos (1 Tree @ 80 m <sup>2</sup> )																				
Existing Trees on Project Site	00 nos																				
Total required trees to be planted	43 nos																				
Total proposed trees to be planted	43 no's																				
31	Power requirement	<table border="1"> <tbody> <tr> <td>Source of power supply</td> <td>MSEDCL</td> </tr> <tr> <td>During Construction Phase: (Demand Load)</td> <td>100 kVA</td> </tr> <tr> <td>During Operation phase (Connected Load)</td> <td>2,291.16v KW</td> </tr> <tr> <td>During Operation phase (Demand Load)</td> <td>902.08 KW</td> </tr> <tr> <td>Transformer</td> <td>2 nos. x 630 kVA</td> </tr> </tbody> </table>		Source of power supply	MSEDCL	During Construction Phase: (Demand Load)	100 kVA	During Operation phase (Connected Load)	2,291.16v KW	During Operation phase (Demand Load)	902.08 KW	Transformer	2 nos. x 630 kVA								
Source of power supply	MSEDCL																				
During Construction Phase: (Demand Load)	100 kVA																				
During Operation phase (Connected Load)	2,291.16v KW																				
During Operation phase (Demand Load)	902.08 KW																				
Transformer	2 nos. x 630 kVA																				

		DG set	2 no X 500 KVA												
		Fuel Used	HSD												
32	Details of Energy saving	Overall energy saving: 22.4 % Renewable Energy Saving : 5.6													
33	Environmental Management plan budget during Construction phase														
	Pollution Control and Other Environmental Infrastructure proposed		Estimated Cost Rs. in Lakh												
	Site Barricading, Dust Suppression measures and Noise control enclosures		29												
	Mobile Toilets and Sanitation management in Labor Colony		4.8												
	Labour Safety and Training		6.00												
	Disinfection and Health Programmes for Labour		0.51												
	Environmental Monitoring		3												
	Environmental Monitoring cell		25												
	Total		68.31												
34	Environmental Management plan budget during Operation phase														
	Pollution Control and Other Environmental Infrastructure proposed	Estimated Capital Cost Rs. in Lakh	Estimated Annual O and m Cost Rs. in Lakh/year												
	Sewage Treatment Plant	20.0	1.0												
	Rainwater Harvesting Structures	2.25	0.30												
	Organic Waste Convertor and Solid waste Management	12.5	1.5												
	Landscape Development and Maintenance	3.5	0.5												
35	Traffic Management:	<table border="1"> <thead> <tr> <th>Type</th> <th>Reqd. as per UDCR</th> <th>Actual Provided</th> </tr> </thead> <tbody> <tr> <td>4 -wheeler</td> <td>180 no's</td> <td>180 no's</td> </tr> <tr> <td>2 -wheeler</td> <td>180 no's</td> <td>180 no's</td> </tr> <tr> <td>Parking area</td> <td>-</td> <td>7350 m<sup>2</sup></td> </tr> </tbody> </table>		Type	Reqd. as per UDCR	Actual Provided	4 -wheeler	180 no's	180 no's	2 -wheeler	180 no's	180 no's	Parking area	-	7350 m <sup>2</sup>
Type	Reqd. as per UDCR	Actual Provided													
4 -wheeler	180 no's	180 no's													
2 -wheeler	180 no's	180 no's													
Parking area	-	7350 m <sup>2</sup>													
36	Details of Court cases / litigations w.r.t. the project and project location if any.	No court case													

Proposal is new construction project. Proposal has been considered by SEIAA in its 296<sup>th</sup> (Day-1) meeting held on 18<sup>th</sup> June, 2025. and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

**Specific Conditions:**

**SEAC Conditions-**

1. PP to submit NoC for water supply, Drainage NoC and Solid waste management NOC.
2. With reference to the directions given by Hon'ble National Green Tribunal, Central Zone Bench, Bhopal in Original Application No. 93/2024(CZ) vide order dt., 08.09.2024, PP and Consultant to jointly submit undertaking that the project site is **not** located in whole or in part within 5 km. of

the protected area notified under the Wildlife (Protection) Act, 1972, critically polluted areas and severely polluted areas as identified by the CPCB, eco-sensitive areas notified under Section 3(2) of the Environment (Protection) Act, and the inter-state boundaries.

3. PP to obtain IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions indicating all required RG area as per prevailing Hon'ble Supreme Court Order. PP to obtain all mandatory NOCs from the concerned planning authority and the planning authority shall not issue occupation certificate unless PP obtains the same.
4. PP to prepare and implement plan to make proposed project a plastic free zone.
5. PP to ensure to achieve the standard parameters of the treated sewage as per order issued by the Hon'ble National Green Tribunal on 30.04.2019. PP to ensure that, the water proposed to be used for construction phase should not be drinking water.
6. PP and the planning authority shall ensure that, the construction and demolition waste (C and D waste) is collected and treated at designated places as per Construction and Demolition Waste Management Rules, 2016 amended from time to time.
7. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
8. PP to ensure to achieve minimum 5% energy saving by using non-conventional energy source.

**SEIAA Conditions-**

1. PP submitted undertaking that, as their plot area is less than 0.4 Ha, mandatory RG is not applicable to their project as per the provisions of UDPCR. Local planning authority to ensure the validity of the same.
2. Occupation certificate shall be issued only after availability of sustainable water supply. This may be amply clarified to RERA.
3. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
4. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
5. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
6. SEIAA decided to grant EC for – FSI-21,008.43 m<sup>2</sup>, Non FSI- 20,587.09 m<sup>2</sup> and total BUA- 41,595.52 m<sup>2</sup>. (As per plan approval No. Zone 3/1091 dated.18.06.2025)

**General Conditions:**

**A) Construction Phase: -**

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable

rules and norms with necessary approvals of the Maharashtra Pollution Control Board.

- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor-based control.
- XI. The Energy Conservation Building code shall be strictly adhered to.
- XII. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XIII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIV. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XVI. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

**B) Operation phase: -**

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be

utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.

- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. This cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at [parivesh.nic.in](http://parivesh.nic.in)
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions,


including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

**C) General EC Conditions: -**

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
  - II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
  - III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
  - IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
  - V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
  - VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
  - VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
2. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
  3. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained

before starting proposed work at site.

4. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
5. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
6. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
7. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1<sup>st</sup> Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

  
Jayashree Bhoj (IAS)  
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune.
6. Commissioner, Pimpri Chinchwad Municipal Corporation.
7. Regional Officer, Maharashtra Pollution Control Board, Pune.

